

Subject **PMR SUBMISSION June 2026 = Construction of Proposed Residential & Commercial Project at CTS No 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited**

From Green Enviro <info@mygreenenviro.com>

To <ecompliance-mh@gov.in>, Apccfcentral-ngp Mef <apccfcentral-ngp-mef@gov.in>, Sropimprichinchwad <sropimprichinchwad@mpcb.gov.in>

Cc SHINDE AMIT - MLDL <SHINDE.AMIT@mahindra.com>, KOUL SAGUN <KOUL.SAGUN@mahindra.com>

Date 17/06/2026 01:17 PM



-
- 00.PMR SUBMISSION FOR PIMPRI RESIDENTIAL & COMMERCIAL PROJECT =JUNE 2026...pdf(~9.2 MB)
-

To,

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra - Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report period of **October 2025 to March 2026** by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

1. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
2. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of October 2025 to March 2026** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorized Signatory

ENCL:

1. Part A – Current Status
2. Part B - Pointwise compliance status
3. Part C – Enclosures
4. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

To,

Maharashtra Pollution Control Board

Kalpaturu Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- **October 2025 to March 2026** by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

3. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
4. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of October 2025 to March 2026** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorized Signatory

ENCL:

5. Part A – Current Status
6. Part B – Pointwise compliance status
7. Part C – Enclosures
8. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

Thanks & Regards



- QCI-NABET accredited EIA Consultant
- Laboratory Approved by MoEF&CC, Govt of India
- Laboratory Approved by NABL
- Certified for ISO 9001, ISO14001 & ISO 45001

Register Address :- Sr, No.167&168/2B, Wireless Colony Co-Op Hos Society, Aundh, Pune – 4110007, Maharashtra, India.

Lab Address - Sr. No. 45 A/1-4A/4, “Parshuram” Eliphiston Road Bopodi, Pune - 411003, Maharashtra, India.

Email : info@mygreenenviro.com

Web : www.mygreenenviro.com

Mobile No: 8208539774,9881460031

On 01/12/2025 05:20 PM, Green Enviro wrote:

To,

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra – Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report period of **April 2025 to September 2025** by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

1. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
2. EC23B038MH171209” File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of April 2025 to September 2025** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

1. Part A – Current Status
2. Part B – Pointwise compliance status
3. Part C – Enclosures
4. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

To,

Maharashtra Pollution Control Board

Kalpataru Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022 ,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- **April 2025 to September 2025** by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

3. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
4. EC23B038MH171209” File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of April 2025 to September 2025** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

5. Part A – Current Status
6. Part B - Pointwise compliance status
7. Part C – Enclosures
8. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

Thanks & Regards

On 03/06/2025 10:46 PM, Green Enviro wrote:

To,

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra – Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report period of December 2024 to May 2025 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209” File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of December 2024 to May 2025** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

1. Part A – Current Status
2. Part B - Pointwise compliance status
3. Part C – Enclosures
4. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

To,

Maharashtra Pollution Control Board

Kalpataru Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- December 2024 to May 2025 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for December 2024 to May 2025** construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

- **Part A – Current Status**
- **Part B - Pointwise compliance status**
- **Part C – Enclosures**
- **Part D – Annexures**

Soft Copy by email forwarded to

MOEF&CC Regional Office, Nagpur - by email.

Thanks & Regards

On 23/12/2024 06:38 PM, Green Enviro wrote:

To,

Date: 02/12/2024

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra - Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report period of April 2024 to September 2024 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of April 2024 to September 2024** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

1. **Part A – Current Status**
2. **Part B - Pointwise compliance status**
3. **Part C – Enclosures**
4. **Part D – Annexures**

Soft Copy be email forwarded to

- **MPCB Regional Office, MUMBAI.**

To,

Date: 02/12/2024

Maharashtra Pollution Control Board

Kalpataru Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022 ,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- April 2024 to September 2024 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for April 2024 to September 2024** construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

- Part A - Current Status
- Part B - Pointwise compliance status
- Part C - Enclosures
- Part D - Annexures

Soft Copy by email forwarded to

MOEF&CC Regional Office, Nagpur - by email.

Thanks & Regards

On 01/06/2024 11:52 AM, Green Enviro wrote:

To,

Date: 01/06/2024

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra - Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report period of December 2023 to May 2024 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of December 2023 to May 2024** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

1. Part A - Current Status
2. Part B - Pointwise compliance status
3. Part C - Enclosures
4. Part D - Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

To,

Date: 01/06/2024

Maharashtra Pollution Control Board

Kalpataru Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022 ,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- December 2023 to May 2024by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report for December 2023 to May 2024** construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

- **Part A – Current Status**
- **Part B – Pointwise compliance status**
- **Part C – Enclosures**
- **Part D – Annexures**

Soft Copy by email forwarded to

MOEF&CC Regional Office, Nagpur – by email.

Thanks & Regards

On 04/04/2024 06:11 PM, Green Enviro wrote:

To,

The Additional Director(s),

The Ministry of Environment & Forests & Climate Change (MoEF & CC)

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur

Maharashtra – Pin 440001

Sub.: Submission of Half Yearly Post EC Compliance Report till **December 2023** by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS No 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report till December 2023** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

1. Part A – Current Status
2. Part B – Pointwise compliance status
3. Part C – Enclosures
4. Part D – Annexures

Soft Copy be email forwarded to

- MPCB Regional Office, MUMBAI.

To,

Maharashtra Pollution Control Board

Kalpataru Point, 1st floor,

Opp. PVR Theatre, Sion (E),

Mumbai-400022 ,

Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report till **December 2023** by email to eccompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023. In this regard, we are submitting **Half Yearly Post EC Compliance Report till December 2023** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory

ENCL:

- Part A – Current Status
- Part B – Pointwise compliance status
- Part C – Enclosures
- Part D – Annexures

Soft Copy by email forwarded to

MOEF&CC Regional Office, Nagpur – by email.

Thanks & Regards

To,
The Additional Director(s),
The Ministry of Environment & Forests & Climate Change (MoEF & CC)
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building,
Civil Lines, Nagpur
Maharashtra - Pin 440001

01.06.2026

Sub.: Submission of Half Yearly Post EC Compliance Report period of October 2025 to March 2026 by email to ecompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

1. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
2. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of October 2025 to March 2026** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited. Kindly acknowledge the same.

Thanking You,
Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorised Signatory
ENCL:

1. Part A - Current Status
2. Part B - Pointwise compliance status
3. Part C - Enclosures
4. Part D - Annexures

Soft Copy be email forwarded to

- 1) MPCB Regional Office, MUMBAI.

To,
Maharashtra Pollution Control Board
Kalpataru Point, 1st floor,
Opp. PVR Theatre, Sion (E),
Mumbai-400022,
Maharashtra

Sub.: Submission of Half Yearly Post EC Compliance Report- **October 2025 to March 2026**
by email to eccompliance-mh@gov.in

Ref.: Environment Clearance EC Identification No.

3. EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025
4. EC23B038MH171209" File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023 for Construction of Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Dear Sir,

This refers to the EC granted to the project vide EC Identification No. SIA/MH/INFRA2/468353/2024 dated 16/10/2025. In this regard, we are submitting **Half Yearly Post EC Compliance Report for the period of October 2025 to March 2026** for construction of Residential & Commercial project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune - 411018, by Mahindra Lifespaces Developers Limited.

Kindly acknowledge the same.

Thanking You.

Yours Faithfully,

For Mahindra Lifespaces Developers Limited.

Authorized Signatory

ENCL:

5. Part A - Current Status
6. Part B - Pointwise compliance status
7. Part C - Enclosures
8. Part D - Annexures

Soft Copy be email forwarded to
2) MPCB Regional Office, MUMBAI.

PART A: CURRENT STATUS OF WORK

CURRENT STATUS OF WORK

RCC work is under progress.

Picture Showing the Status of the Site:



PART B

POINT WISE COMPLIANCE STATUS

Compliance to the Conditions Recommended in EC

Sr. No	Conditions	Compliance
General Conditions:		
a.	Construction Phase	
I.	The solid waste generated should be properly collected and segregated. Dry/insert solid waste should be disposed of to the approved sites for landfilling after recovering recyclable material.	Waste which will be collected and transported to an interim transfer station where biodegradable waste will be treated (composting) by modular composter and Non-bio-degradable waste will be handed over to authorized vendor for further processing.
II.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck generated will be used for site leveling and filling low-lying areas.
III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Hazardous waste, if any generated, and then it will be disposed as per applicable rules and norms with necessary approvals of the Maharashtra State Pollution Control Board.
IV	Adequate drinking water and sanitary facilities should be provided for construction workers at site. Provision should be made for mobile toilets. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.	Noted and shall be complied
V.	Arrangement shall be made that waste water and storm water do not get mixed.	Noted and shall be complied
VI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.	We are applying best practices to reduce the water demand load still project is in its initial phase.
VII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Noted and shall be complied
VIII.	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction of the project.	Noted and shall be complied.
IX.	Fixture for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Noted and shall be complied.
X.	The Energy Conservation Building code	Noted

	shall be strictly adhered to.	
XI.	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	Noted and shall be complied. All the topsoil excavated during construction activities will be use in horticulture/ landscape development within the project site.
XII.	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the areas protected and improved.	Noted and shall be complied.
XIII	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Noted and being complied.
XIV	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Tree Act, 1975 as amended during validity of Environmental Clearance.	Noted and being complied. Total 99 no. of trees have been transplanted. Apart from this, we have also done transplantation of 4000 trees at Cantonment Dehu Road PCMC. Copy of NOC from PCMC is attached.
XV.	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environmental (Protection) Rules prescribed for air and noise emission standards.	Noted and shall be complied. DG sets are operated only during power cuts and as such, requirement of diesel is quiet less.
XVI.	Vehicles hired for transportation of raw materials shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakage.	Being complied with.
XVII.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Being complied with.
XVIII.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The	Noted and shall be complied.

	height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	
XIX.	Regular supervision of the above and other measures for monitoring should be done in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell/ designated person.	Noted and shall be complied
B	<u>Operation phase: -</u>	
I.	a). The solid waste generated should be properly collected and segregated. b). Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises. c). Dry/insert solid waste should be disposed of to the approved sites for landfilling after recovering recyclable material.	Noted and shall be complied.
II.	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	Noted and shall be complied.
III.	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odor problem from STP. b). PP to give 100% treatment to sewage/Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	Noted and shall be complied.
IV.	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental	Noted and shall be complied

	infrastructure is installed and made functional including water requirement.	
V.	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	Noted and we will adhered to the said point.
VI.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Noted and shall be complied.
VII.	PP to provide adequate electric charging points for electric vehicles (EVs).	Noted and shall be complied.
VIII.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted and shall be complied.
IX.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Noted
X.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Noted and shall be complied
XI.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in	Complied. Copy attached.
XII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted.

XIII.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , Nox (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted and shall be complied
C)	General EC Conditions: -	
I.	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	Noted.
II.	If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Noted. Consent to Establish has been granted vid ref no Format 1.0/CAC-CELL/UAN No.0000152793/CE/2309002258 dated 28/09/2023.
III.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Noted and shall be complied.
IV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Noted and shall be complied
V.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall be sent to the respective Regional Office of MoEF by e-mail.	Agreed with.

VI.	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments shall be carried out without prior approval of the SEIAA. In case deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA AS applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and shall be complied
VII.	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild Life angle including clearance from the standing committee of the National Board for Wild Life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	Noted.
4.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him. If any or action initiated under EP Act.	No any court case regarding project.
5.	This environment clearance is issued purely form an environment point of view without prejudice to any court cases and all other permissions/ NOCs shall be obtained before stating proposed work at site.	Yes, noted & will be implemented.
6.	In case of submission of false document and non-compliance of stipulated conditions, Authority/Environment Department will revoke or suspend the Environmental clearance without any intimation and initiate appropriate legal action under Environmental protection Act, 1986.	No any false documents and non-compliance of stipulated conditions regarding project.
7.	Validity of environmental clearance - The validity of EC accorded shall be valid as per EIA notification 2006 amended time to time. .	Environmental Clearance Obtained vide letter No. EC Identification No. - EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 dated 10/11/2023

8.	The above stipulation would be enforced among others under the water(prevention and control of pollution)act 1974,the air(prevention and control of pollution) Act,1981,the environment (protection) Act,1986 and rules their under, hazardous waste(Management and Handling) Rules,1989 and it's amendment, the public liability insurance act,1991 and its amendments.	Noted .
9.	Any appeal against this environment Clearance shall lie with the National Green Tribunal(Western Zone Bench, Pune), New Administrative Building, 1 st floor, D-wing opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted & agreed.

PART C

Sr. No	Particulars
I.	Data Sheet
II	EMP Costing Details
II.	EC Letter (Revised) and 1 st EC Letter
III.	Consent to Establish
IV.	NOCs-Water, Fire, Drainage, Aviation, Garden,

PART - I
DATA SHEET

No.	Particular	Information
1.	Project type: River Valley / Mining / Industry / Thermal / Nuclear / Others (specify)	Construction project (Residential & Commercial)
2.	Name of the Project	Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited
3.	Clearance letter (s) / OM No. and date	EC Identification No SIA/MH/INFRA2/468353/2024 dated 16/10/2025
4.	Location	CTS no 4854, Plot No A
	a) District (s)	Dist. Pune.
	b) State (s)	Maharashtra
	c) Location latitude /longitude	Latitude: 18°36'57.67" N Longitude: 73°48'45.94" E.
5.	Address for Correspondence	Mr. Vikrant Bhole Mahindra Tower 5 th Floor, Dr. G. M. Bhosale Marg, Worli, Mumbai, Maharashtra Email: Deshpande.ashutosh@mahindra.com Phone: +91-9850272374
	a) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / FaxNumbers)	
	b) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / Fax Numbers)	
6.	Salient features of the Project	
		Location of the project: CTS no 4854, Plot No A, Pune-Mumbai old highway, Pimpri, Pune – 411018. Total Plot Area: 46070.45 sq.m. Proposed FSI: 222595.95 sq.m. Proposed Non-FSI: 205812.24 sq.m. Total Built-up area: 428408.19 sq.m. Water requirement: - Fresh water: 912 KLD. - Flushing water: 469 KLD.

		• Gardening: 28 KLD. • Water for Chilling: 141 KLD • Swimming Pool: 10 KLD • Total: 1244 KLD Source: PCMC Power Requirement: Construction phase – 250 KW Operation Phase (Connected Load): 28,916 KW Operation Phase (Demand Load): 11637 KW Source: MSEDCL. DG sets as power back up during Operation Phase I: 2 No. 500 KVA Phase 2: 2 No. 1250 KVA Office & Hotel: 4 Nos 2000 KVA RG Area: Total: 3909.69 sqm Existing trees: 366 Trees to be planted: 576 Total 99 no. of trees have been transplanted. Apart from this, we have also done transplantation of 4000 trees at Cantonment Dehu Road PCMC. Copy of NOC from PCMC is attached. Parking 4W & 2W: 4W=1647 @ 20,587.50 sqm 2W= 3459 @ 6918.0 sqm Rain water harvesting 2 No. of RWH tank of capacity 848 KLD capacity.
7.	Breakup of the Project Area	NA
	a) Submergence area: forest & non forest	
	b) Others	Total Plot Area: 37,832.47 sq.m. Total FSI: 84,784.53 sq.m. Total Non-FSI: 78,074.89 sq.m. Total Built-up area: 1, 62,859.42 sq.m.
8.	Breakup of the project affected population with the enumeration of those losing Houses / Dwelling units only, Agricultural Land & Landless Laborers / Artisans:	NA
	a) SC, ST / Adivasi	

	b) Others (please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details & year of survey)	NA
--	--	----

9.	Financial Details:	Rs. 2542 Cr. As per EC.			
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference				
b)	Allocation made for environmental management plans with item wise and year wise breakup	Construction phase:			
		Sr. No.	Type	Details	Total Cost in Lacs
		1.	Air Environment	Water spray for dust suppression	86.4
		2.	Land	Labor camp toilets and sanitation	2.52
		3.	Health and Safety	Labor Safety Equipment's and training	13.27
		5.	DG Sets	-	5.5
		6.	Environment Management Cell	-	8.8
		7.	Environment monitoring	Environmental Monitoring (As per the CPCB guidelines through MoEF Approved laboratories)	7.36

		Operation phase:				
		Sr. No .	Component	Details	Capital (Rs. In Lacs)	O&M cost (lacs / year)
		1.	Sewage Treatment	STP &ETP	185.00	18.00
		2.	RWH	2 Rainwater Tank	0.85	-
		3.	Solid Waste	OWC	155.36	12.38
		4.	Green belt development	Development and Maintenance	53.00	8.00
		5.	Energy Saving	Solar Panel PV	118.245	4.72
		6.	Environmental Monitoring	EMP	--	3.19
		7.	DMP	Lightening Arrestor	Phase - I 40.00 Phase -2 68.00	Phase-I 4.00 Phase-2 6.80
c)	Benefit cost ratio / Internal rate of Return and the year of assessment	---				
d)	Whether (c) includes the cost of environmental management as shown in the above	Yes				
e)	Actual expenditure incurred on the project so far	-				
f)	Actual expenditure incurred on the environmental	Included in EMP				

	management plans so far	
10.	Forest Land Requirement	NA
a)	The status of approval for diversion of forest land for non-forestry use	NA
b)	The status of clearing felling	
c)	The status of compensatory afforestation, if any Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	
11.	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads.), if any with quantitative information required.	NA
12.	Status of construction (Actual and/or planned)	Provide.
a)	Date of commencement (Actual & / or planned)	Provide.
b)	Date of completion (Actual &/or planned)	Provide.
13.	Reasons for the delay if the project is yet to start	NA
14.	Dates of Site Visits	
a)	The dates on which the project was monitored by the Regional Office on previous occasions, if any	NA
b)	Date of site visits for this monitoring report	--

Thanking You.

For Mahindra Lifespaces Developers Ltd

COST OF EMP – CONSTRUCTION PHASE

Construction phase:		
Type	Details	Total Cost in Lacs
Air Environment	Water spray for dust suppression	86.4
Land	Labor camp toilets and sanitation	2.52
Health and Safety	Labor Safety Equipment's and training	13.27
Health Facility	Disinfection and Health Check-ups	5.5
DG Sets		
Environment Management Cell	-	7.36
Environment monitoring	Environmental Monitoring (As per the CPCB guidelines through MoEF Approved laboratories)	86.4

COST OF EMP - OPERATION PHASE

Sr. No.	Component	Details	Capital (Rs. In Lacs)	O&M cost (lacs/ year)
1.	Sewage Treatment	STP &ETP	185.00	18.00
2.	RWH	2 Rainwater Tank	0.85	-
3.	Solid Waste	OWC	80.62	12.38
4.	Green development belt	Development and Maintenance	53.00	8.00
5.	Energy Saving	Solar PV Panel	118.245	4.72
6.	Environmental Monitoring	EMP	--	3.19
7.	DMP	Lightening Arrestor	Phase - I 40.00 Phase -2 68.00	Phase -I 4.00 Phase-2 6.80

REVISED COPY OF ENVIRONMENTAL CLEARANACE

PART C

Sr. No	Particulars
I.	Data Sheet
II	EMP Costing Details
II.	EC Letter
III.	Consent to Establish
IV.	NOCs-Water, Fire, Drainage, Aviation, Garden

PART - I DATA SHEET

No.	Particular	Information
1.	Project type: River Valley / Mining / Industry / Thermal / Nuclear / Others (specify)	Construction project (Residential & Commercial)
2.	Name of the Project	Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited
3.	Clearance letter (s) / OM No. and date	EC Identification No. - EC23B038MH171209 File No. - SIA/MH/INFRA2/424139/2023 Date of Issue EC - 10/11/2023
4.	Location	CTS no 4854, Plot No A
	a) District (s)	Dist. Pune.
	b) State (s)	Maharashtra
	c) Location latitude /longitude	Latitude: 18°36'57.67" N Longitude: 73°48'45.94" E.
5.	Address for Correspondence	Mr. Vikrant Bhole Mahindra Tower 5 th Floor, Dr. G. M. Bhosale Marg, Worli, Mumbai, Maharashtra Email: Deshpande.ashutosh@mahincom Phone: +91-9850272374
	a) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / FaxNumbers)	
	b) Address of the Concerned Project Chief Engineer (with Pin code & Telephone / Telex / Fax Numbers)	
6.	Salient features of the Project	
		Location of the project: CTS no 4854, Plot No A, Pune-Mumbai old highway, Pimpri, Pune – 411018. Total Plot Area: 46070.45 sq.m. Proposed FSI: 260056.72 sq.m. Proposed Non-FSI: 229287.31 sq.m. Total Built-up area: 489344.03 sq.m. Water requirement: - Fresh water: 1221 KLD. - Flushing water: 618 KLD.

		• Gardening: 28 KLD. • Water for Chilling: 141 KLD • Swimming Pool: 10 KLD. • Total: 2018 KLD. Source: PCMC. Power Requirement: Construction phase – 200 KVA Operation Phase (Connected Load): 30,187 KW Operation Phase (Demand Load): 14102 KW Source: MSEDCL. DG sets as power back up during Operation Phase I: 1500 KVA Phase 2: 2250 KVA Office & Retail: 2nos 2000 KVA Hotel: 2 nos 2000 KVA RG Area: Total: 3909.69 sqm Existing trees: 366 Trees to be planted: 576 Total 99 no. of trees have been transplanted. Apart from this, we have also done transplantation of 4000 trees at Cantonment Dehu Road PCMC. Copy of NOC from PCMC is attached. Parking 4W & 2W: 4W= 1964 @ 24,550 sqm 2W= 7983 @ 15966 sqm Rain water harvesting 2 No. of RWH tank of capacity 848 KLD capacity.
7.	Breakup of the Project Area	NA
	a) Submergence area: forest& non forest	
	b) Others	Total Plot Area: 37,832.47 sq.m. Total FSI: 84,784.53 sq.m. Total Non-FSI: 78,074.89 sq.m. Total Built-up area: 1, 62,859.42 sq.m.
8.	Breakup of the project affected population with the enumeration of those losing Houses / Dwelling units only, Agricultural Land & LandlessLaborers / Artisans:	NA

	a) SC, ST / Adivasi	
	b) Others (please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details & year of survey)	NA

9.	Financial Details:	Rs. 2542 Cr. As per EC.				
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference					
b)	Allocation made for environmental management plans with item wise and year wise breakup	Construction phase:				
		Sr. No.	Type	Details	Total Cost in Lacs	
		1.	Air Environment	Water spray for dust suppression	5.75	
		2.	Land	Labor camp toilets and sanitation	11.62	
		3.	Health and Safety	Labor Safety Equipment's and training	13.84	
		4.	Health Facility	Disinfection and Health Check-ups	30,000	
		5.	DG Sets			11.0
		6.	Environment Management Cell	-	1.04	

		7.	Environm ent monitorin g	Environmental Monitoring (As per the CPCB guidelines through MoEF Approved laboratori es)	7.36
--	--	----	-----------------------------------	---	------

		Operation phase:				
		Sr. No .	Component	Details	Capital (Rs. In Lacs)	O&M cost (lacs / year)
		1.	Sewage Treatment	STP &ETP	185.00	18.00
		2.	RWH	2 Rainwater Tank	0.85	-
		3.	Solid Waste	OWC	80.62	12.38
		4.	Green belt development	Development and Maintenance	53.00	8.00
		5.	Energy Saving	Solar Panel PV	118.245	4.72
		6.	Environmental Monitoring	EMP	--	3.19
		7.	DMP	Lightening Arrestor	Phase - I 40.00 Phase -2 68.00	Phase -I 4.00 Phase -2 6.80
c)	Benefit cost ratio / Internal rate of Return and the year of assessment	---				
d)	Whether (c) includes the cost of environmental management as shown in the above	Yes				
e)	Actual expenditure incurred on the project so far	-				
f)	Actual expenditure incurred on the environmental	Included in EMP				

	management plans so far	
10.	Forest Land Requirement	NA
a)	The status of approval for diversion of forest land for non-forestry use	NA
b)	The status of clearing felling	
c)	The status of compensatory afforestation, if any Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	
11.	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads.), if any with quantitative information required.	NA
12.	Status of construction (Actual and/or planned)	Provide.
a)	Date of commencement (Actual & / or planned)	Provide.
b)	Date of completion (Actual &/or planned)	Provide.
13.	Reasons for the delay if the project is yet to start	NA
14.	Dates of Site Visits	
a)	The dates on which the project was monitored by the Regional Office on previous occasions, if any	NA
b)	Date of site visits for this monitoring report	--

Thanking You.

For Mahindra Lifespaces Developers Ltd

COST OF EMP – CONSTRUCTION PHASE

Construction phase:		
Type	Details	Total Cost in Lacs
Air Environment	Water spray for dust suppression	5.75
Land	Labor camp toilets and sanitation	11.62
Health and Safety	Labor Safety Equipment's and training	13.84
Health Facility	Disinfection and Health Check-ups	30,000
DG Sets		11.0
Environment Management Cell	-	1.04
Environment monitoring	Environmental Monitoring (As per the CPCB guidelines through MoEF Approved laboratories)	7.36

COST OF EMP - OPERATION PHASE

Sr. No.	Component	Details	Capital (Rs. In Lacs)	O&M cost (lacs/ year)
1.	Sewage Treatment	STP &ETP	185.00	18.00
2.	RWH	2 Rainwater Tank	0.85	-
3.	Solid Waste	OWC	80.62	12.38
4.	Green development belt	Development and Maintenance	53.00	8.00
5.	Energy Saving	Solar PV Panel	118.245	4.72
6.	Environmental Monitoring	EMP	--	3.19
7.	DMP	Lightening Arrestor	Phase - I 40.00 Phase -2 68.00	Phase -I 4.00 Phase-2 6.80

ENVIRONMENTAL CLEARANCE LETTER

ENVIRONMENTAL CLEARANCE	 Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)																		
PARIVESH (Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub)	To, The owner MAHINDRA LIFESPACE DEVELOPERS LIMITED Mahindra Tower, 5th Floor, Dr. G.M. Bhosale Marg, Worli, Mumbai, Maharashtra. -400018																		
	Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding																		
	Sir/Madam, This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/424139/2023 dated 20 Apr 2023. The particulars of the environmental clearance granted to the project are as below.																		
	<table border="0"><tr><td>1. EC Identification No.</td><td>EC23B038MH171209</td></tr><tr><td>2. File No.</td><td>SIA/MH/INFRA2/424139/2023</td></tr><tr><td>3. Project Type</td><td>New</td></tr><tr><td>4. Category</td><td>B</td></tr><tr><td>5. Project/Activity Including Schedule No.</td><td>6(3) Building and Construction projects</td></tr><tr><td>6. Name of Project</td><td>Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited</td></tr><tr><td>7. Name of Company/Organization</td><td>MAHINDRA LIFESPACE DEVELOPERS LIMITED</td></tr><tr><td>8. Location of Project</td><td>MAHARASHTRA</td></tr><tr><td>9. TOR Date</td><td>NA</td></tr></table>	1. EC Identification No.	EC23B038MH171209	2. File No.	SIA/MH/INFRA2/424139/2023	3. Project Type	New	4. Category	B	5. Project/Activity Including Schedule No.	6(3) Building and Construction projects	6. Name of Project	Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited	7. Name of Company/Organization	MAHINDRA LIFESPACE DEVELOPERS LIMITED	8. Location of Project	MAHARASHTRA	9. TOR Date	NA
1. EC Identification No.	EC23B038MH171209																		
2. File No.	SIA/MH/INFRA2/424139/2023																		
3. Project Type	New																		
4. Category	B																		
5. Project/Activity Including Schedule No.	6(3) Building and Construction projects																		
6. Name of Project	Proposed Residential & Commercial Project at CTS no 4854, Plot No A, Pune- Mumbai old highway, Pimpri, Pune – 411018, by Mahindra Lifespaces Developers Limited																		
7. Name of Company/Organization	MAHINDRA LIFESPACE DEVELOPERS LIMITED																		
8. Location of Project	MAHARASHTRA																		
9. TOR Date	NA																		
	The project details along with terms and conditions are appended herewith from page no 2 onwards.																		
	Date: 10/11/2023 (e-signed) Pravin C. Darade, I.A.S. Member Secretary SEIAA - (MAHARASHTRA)																		
	Note: A valid environmental clearance shall be one that has EC Identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence. This is a computer generated cover page.																		

14.	Proposed FSI area (m2)	2,60,056.72	
15.	Proposed Non-FSI area (m2)	2,29,287.31	
16.	Proposed TBUA (m2)	4,89,344.03	
17.	TBUA (m2) approved by Planning Authority till date	Under Process	
18.	Ground coverage (m2) & %	8429.37 (21.56 %)	
19.	Total Project Cost (Rs.)	2,542 Cr.	
20.	CER as per MoEF&CC circular dated 01.05.2018	---	
21.	Details of Building Configuration: <Please use following legends: Floor = F, Parking = Pk, Podium = Po, Stilt = St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>		Reason for Modification / Change
	Previous EC / Existing Building		Proposed Configuration
	Building Name	Configuration Height (m)	Building Name Configuration Height (m)
	New Project		Building A LGP+UGP+4P+23 85.65m
			Building B LGP+UGP+4P+23 85.65m
			Building C LGP+UGP+4P+23 85.65m
			Building D LGP+UGP+4P+23 85.65m
			Building E BP2+BP1+LGP+UGP+4P+38 134.15m
			Building F BP2+BP1+LGP+UGP+4P+38 134.15m
			Building G BP2+BP1+LGP+UGP+4P+38 134.15m
			Building H BP2+BP1+LGP+UGP+4P+38 134.15m
			Building I BP2+BP1+LGP+UGP+4P+38 130.65m
			Building J BP2+BP1+LGP+UGP+4P+38 130.65m
			Building K BP2+BP1+LGP+UGP+4P+38 130.65m
			Building L BP2+BP1+LGP+UGP+4P+21 79.65m
			Building M (Commercial) BP2+BP1+LGP+UGP+Mezz.+3P+24+3Service Floor 123.15m
			Commercial 1 Gr+Mezz+1 st floor+mezz floor 12.65 m
			Commercial 2 Gr+Mezz 6.15 m
			Club House 1 G 6.0m

		Club House 2	G	6.0 m	
		Club House 3	G	6.0 m	
22.	Total number of tenements	Residential flats – 2,268 nos. Commercial - Shops – 54 nos., Offices – 84 nos., Guest rooms – 196 nos., Restaurants – 4 nos., Guest Arrival or Lounge – 1 nos., Business Center – 1 nos., Banquet – 1 no.			
23.	Total number of Population	Total Population – 17,669 nos. Resi. Population – 11,340 nos. Comm. Population – 6,329 nos. (Fixed + Floating)			
24.	Water Budget	Dry Season (CMD)		Wet Season (CMD)	
		Fresh Water	1221	Fresh Water	1221
		Flushing	618	Flushing	618
		Recycled for landscape	28	Recycled for landscape	0
		Water For Chilling	141	Water For Chilling	141
		Swimming Pool	10	Swimming Pool	10
		Total	2018	Total	1990
		Excess Treated water	703	Excess Treated water	731
25.	Water Storage Capacity for Firefighting / UGT	Firefighting Underground water tank- 1400 CMD (Phase 1 – 400 CMD / Phase 2 – 600CMD / Commercial – 400CMD) Firefighting Overhead water tank: 325 CMD (Phase1 – 125 CMD / Phase 2 – 175 CMD / Commercial – 25 CMD)			
26.	Source of water	Pimpri Chinchwad Municipal Corporation			
27.	Rainwater Harvesting (RWH)	Level of the Ground water table:	Pre monsoon: 4 m Post monsoon: 0.94 m		
		Size and no of RWH tank(s) and Quantity:	424 KLD x 2 Nos. = 848 KLD		
		Quantity and size of recharge pits:	Not provided		
		Details of UGT tanks if any:	NA		
28.	Sewage and Wastewater	Sewage generation in KLD	STP – 1,670 KLD ETP – 35 KLD		
		STP technology:	MBBR		
		Capacity of STP KLD:	Total STP – 1,670 KLD (Phase 1&2 – 1,400 KLD + Retail – 70 KLD+ Hotel – 200 KLD) ETP – 35 KLD		
29.	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal	
		Dry waste:	12 kg/day	The maximum construction waste will be used within the site for leveling purposes and base course preparation of internal approach roads.	
		Wet waste:	18 kg/day		
		Construction waste	20 kg/day		
30.	Solid Waste	Type	Quantity (kg/d)	Treatment / disposal	

	Management during Operation Phase	Dry waste:	3022	Handed over to authorize recycler for further handling & disposal purpose.
		Wet waste:	4532	Wet waste will be treated in onsite organic waste converter machine.
		Hazardous waste:	NA	NA
		Biomedical waste:	NA	NA
		E-Waste	20.69	Handed over to authorized recyclers for further handling & disposal purpose.
		STP Sludge (dry)	67	Will be used as manure
31.	Green Belt Development	Total RG area (m ²):	3,909.69 sq.m	
		Existing trees on plot:	366	
		Number of trees to be planted:	576 trees will be on Site	
		Number of trees to be cut:	141	
		Number of trees to be transplanted:	00	
32.	Power requirement:	Source of power supply:	MSDCL	
		During Construction Phase (Demand Load):	DG set - 200 KVA	
		During Operation phase (Connected load):	30,187 KW	
		During Operation phase (Demand load):	14,102 KW	
		Transformer:	Phase-1- 8 nos 630 KVA Phase-2 - 12 nos 630 KVA 3 nos 630 KVA & 2 nos 1250 KVA, Hotel - 2 nos 2000 KVA	
		DG set:	Phase-1- 1500 kVA Phase-2 - 2250 kVA Office & Retail - 2 nos 2000 kVA Hotel - 2 nos 2000 kVA	
		Fuel used:	HSD	
33.	Details of Energy saving	Energy Saving Through Solar PV		
34.	Environmental Management plan budget during Construction phase (Based on Last Project Costings)	Type	Details	Cost (Rs. In Lacs)
		Air Environment	Erosion control -- dust suppression measures, harricading and topsoil preservation	5,75,095.25/-
		Land	Labor Camp toilets & sanitation	11,62,500/-
		Health and Safety	Labor Safety Equipment's and training	13,84,500/-

		Health facility	Disinfection and Health Check-ups	30,000/-	
			DG set	11,00,000/-	
		Environment Management	Environment management cell	1,04,000/-	
		Environment Management	Environmental Monitoring	7,36,800/-	
35.	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Lakh)	O&M (Lakh /Y)
		Sewage treatment	STP with MBBR Technology & ETP	1,85,00,000/-	18,00,000/-
		RWH	2 Rainwater Tank	85,000/-	----
		Solid Waste	OWC	80,62,400/-	12,38,900/-
		Green belt development	Development and Maintenance	53,00,000/-	8,00,000/-
		Energy saving	Solar PV Panel	1,18,24,500/-	4,72,980/-
		Environmental Monitoring	Environment Monitoring Plan	-	3,19,000/-
		Disaster Management Plan	Lightening Arrester	Phase-1- 40,00,000 /- Phase-2- 68,00,000/-	Phase-1- 4,00,000/- Phase-2- 6,80,000/-
36.	Traffic Management From Architect/Liasoning Architect	Type	Required as per DCR	Actual Provided	Total parking Area (m2)
		4- Wheeler	1964	1964	24,550
		2- Wheeler	7983	7983	15,966
37.	Details of Court cases / litigations w.r.t. the project and project location if any.				NA

3; Proposal is a new construction project. Proposal has been considered by SEIAA in its 266th (Day-3) meeting held on 22nd September, 2023, and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SFAC Conditions-

1. PP to undertake that there was no industrial activity was being carried out during the baseline monitoring period considered for EIA drafting.
2. Committee noted that, the development is planned as phase wise, PP to implement the mitigation measure for noise and air pollution.

2. PP to revise shadow analysis report and explore addition of solar PVs.
3. PP to submit the STP section indicating aeration tank open to sky.
4. PP to submit the coordinated layout plan indicating green belt development plan.
5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
6. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions:-

1. PP has provided mandatory RG 3909.69 m² on mother earth without any construction i.e. STP, OWC, Transformers, Club house, DG set etc. Local planning authority to ensure the compliance of the same.
2. This EC is restricted up to 89.5 m height as per Civil Aviation /MoD NOC.
3. PP to plant as many trees as cumulative age of trees to be cut and transplanted as per amended Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.
4. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
5. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
6. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-LA III dt.04.01.2019.
7. SEIAA after deliberation decided to grant EC for-FSI-239613.68 m²; Non FSI-229071.81 m², total BUA-468685.49 m². (Plan approval No-BP/EC/Pimpri/03/2023, dated-03.07.2023) (Restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people; only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.

- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management

and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pimpri Chinchwad Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Validity unknown


Digitally signed by: Pravin C. Darade, I.A.S.
Designation: Member Secretary
Date and Time: 14/10/2023 10:37:37 AM

CONSENT TO ESTABLISHMENT

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Infrastructure/RED/LS-I

No:- Format1.0/CAC-CELL/UAN No.0000152793/CE/2309002258

Date: 28/09/2023

To,
Mahindra Lifespaces Developers Ltd.,
CTS No. 4854, Plot No. A, Pune-Mumbai
Old Highway, Pimpri, Tal. Mulshi, Dist-
Pune - 411018.



Sub: Grant of Consent to Establish of proposed Residential & Commercial project under Red/LSI Category.

Ref: Minutes of Consent Appraisal Committee meeting held on 05/06/2023.

Your application NO. MPCB-CONSENT-0000152793

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. The Consent to Establish is granted for a period upto commissioning of project or up to 5 year whichever is earlier.
2. The capital investment of the project is Rs.2542 Cr. (As per undertaking submitted by pp).
3. The Consent to Establish is valid for proposed Residential & Commercial project named as Mahindra Lifespaces Developers Ltd., CTS No. 4854, Plot No. A, Pune-Mumbai Old Highway, Pimpri, Tal. Mulshi, Dist- Pune - 411018 on Total Plot Area of 46,070 SqMtrs for Total Construction BUA of 4,89,344.03 SqMtrs including utilities and services
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	Nil	Nil
2.	Domestic effluent	1687	As per Schedule - I	The treated sewage shall be 60% recycled for secondary purposes and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set of 1500 kVA	01	As per Schedule -II
S-2 to S-5	DG Set s of 2000 kVA x 04	04	As per Schedule -II
S-6	DG Set of 2250 kVA	01	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio-degradable Waste	4532 Kg/Day	OWC followed by composting facility.	Used as Manure.
2	Non-biodegradable Waste	3022 Kg/Day	Segregation	Handed over to Auth. Vendor.
3	STP Sludge	100 Kg/Day	Drying	Used as Manure.

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**


Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	50	Ltr/A	Recycle	Handed over to Auth. reprocessor.

8. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	20.69	Kg/Day	Handed over to Auth. Vendor.

- This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- PP shall provide STP of adequate capacity to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility.
- The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
- PP shall provide organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.
- PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.
- PP shall submit BG of Rs. 25 Lacs towards compliance of EC and Consent conditions.

16. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto. As per Para 2 of EIA notification dated- 14.09.2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-IA.II(I); Dated- 19/08/2010, fencing of the site to protect it from getting encroached and construction of temporary shed(s) for the guard(s) & acquisition of land not be treated as an effective step.



Dr. Anand

8087991a
6b002412
f03a0920
60858749
899056ba
90018f33
5a831b04
1fd01c3f

Signed by: Dr. Anand D. Kulkarni
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
msl@mpcb.org
2023-09-28 14:43:43 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	5084000.00	MPCB-DR-15497	21/11/2022	RTGS

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **1687 CMD** for treatment of domestic effluent of **1687 CMD**.
- B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C) The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1839.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG Set of 1500 kVA	Acoustic Enclosure	30.00	HSD 100 Ltr/Hr	1	SO ₂	48 Kg/Day
S-2 to S-5	DG Sets of 2000 KVA x 04	Acoustic Enclosure	30.00	HSD 500 Ltr/Hr	1	SO ₂	240 Kg/Day
S-6	DG Set of 2250 kVA	Acoustic Enclosure	30.00	HSD 150 Ltr/Hr	1	SO ₂	72 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 25 Lacs	15 days	Towards Compliance of EC & C to E conditions.	Commissioning of the project or 5 years whichever is earlier.	Commissioning of the project or 5 years whichever is earlier.

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose If any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
6. The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
7. Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
8. Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
9. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 10 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
 - 11 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
 - 12 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 13 The treated sewage shall be disinfected using suitable disinfection method.
 - 14 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
 - 15 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.

Water NOC



विपरी विचवड म्हाणमरपालिका
वाणी पुरवठा विभाग
क.पापु/वाटर/कावि/१४९/२०२२
दिनांक- २/११/२०२२

पति,

संकल्प डिझाइनर तर्फे आर्की. सितेश आरबात
आर्कीटेक्चर हाऊस, प्लॉट नं. ४४५४,
मोखते क्रॉस रोड, मॉडेल कॉलनी,
शिवाजीनगर-पुणे-४११०१६

विषय- आपले नियोजित बांधकामासाठी पाणीपुरवठा विभागाकडील "जा हरकत" प्रमाणपत्र
बाबत.

संदर्भ- अर्ज क्र. १०३३२२२०००८८३२, १५/०९/२०२२ Sankalp Designers.

उपरोक्त संदर्भित पत्रानुसार आपले नियोजित बांधकामाचे नकाशे दाखल केल्यावरून आपणास कळविण्यात येते की, **मौजे-विपरी येथील सिसनं. ४८५४, प्लॉट-A** मधील नकाशात दाखविल्याप्रमाणे खालील अटीस अधिन राहून सोबतचा नकाशा समेती मिळणेसाठी बांधकाम परवानगी विभागाकडे दाखल करण्याची या विभागाची हरकत नाही.

- जमिनीखालील पाण्याची टाकी विमान २७५१९६ सी क्षमतेची घ्यावी.
- इमारतीवरील पाण्याची टाकी विमान १८६३४६४ सी क्षमतेची घ्यावी.
- जमिनीखालील पाण्याची टाकी आर.सी.सी (M-20 Grade) मध्ये करावी.
- जमिनीखालील पाण्याची टाकीवर स्टॅण्ड बाकपास योग्य त्या क्षमतेची विदकुत पंप घ्यावा.
- जमिनीखालील पाण्याची टाकी जमिनीच्या पातळीपेक्षा जास्तीत जास्त ०.३० ते ०.५० मी. ने उंच असावी.
- जमिनीखालील पाण्याची टाकी मुख्य रस्त्याच्या लगत असावी व नकाशात दर्शविलेल्या जागेवर जमिनीखालील पाण्याची टाकी घेणेत यावी.
- जमिनीखालील व इमारतीवरील टाक्यांवर सुरक्षिततेच्या दृष्टीने इलकणे बसवावित.
- उपरोक्त इमारतीकरीता जमिनीखालील व इमारतीवरील पाण्याच्या टाक्यांची क्षमता ही **अग्निशमनासाठी** गरज असलेल्या पाण्याच्याखेरीज आहे.
- सदर नियोजित गृहसंकुलाचे ठिकाणी म.न.पा ची पाणीपुरवठा योजना नवीन पाण्याच्या उंच टाक्या वितरण व्यवस्था) पुणे क्षमतेने विकसित होईपर्यंत होणा-या नविन गृहसंकुलांना संबंधीत विकासकाने स्वतःचीत्या पाणीपुरवठा सुविधा उपलब्ध करावी.
- म.न.पा कडून इमारत बांधकामासाठी पाणीपुरवठा होऊ शकणार नाही.
- म.न.पाचे सुलभपाईपलाईन पर्यंत विकासकाने डिझाईनप्रमाणे पाईपलाईन टाकावी.
- पि.चि.मनपा मार्केट नविन पाणापुरवठा प्रकल्प विकसीत होईपर्यंत विकासकास **सदनिका / वाणिज्य** धारकांना पडोशान नंतर हमीपत्रामध्ये नमूद केल्याप्रमाणे स्वखर्चाने पाणीपुरवठा करणेच्या अटीवर सदरचा दाखला देणेत येत आहे.
- उपरोक्त ठिकाणी **रेन वॉटर हार्वेस्टिंग** व्यवस्था म.न.पा नियमप्रमाणे करण्यात यावी. दर्शविलेल्या डिझाईन प्रमाणे बोरवेल मार्केट रेन वॉटर हार्वेस्टिंग करणे अनिवार्य आहे. पाण्याच्या पाणी, वापर करण्यासाठीचे पाणी व **RE-CIRCULATION** साठी लागणा-या पाणी साठविणे करीता स्वतंत्र पाण्याची टाकी व पाईप लाईन करणेत यावी. व सर्व पाण्याच्या टाकीसाठी (WATERTIGHT) Fibrocant FRB फ्रेम व फाहुर बलविणेत यावेत. या अटीवर सदरचा दाखला देणेत येत आहे.
- पूर्णत्वाचा "जा हरकत" दाखला घेणे अगोदर **CGWA** विभागाकडील "जा" हरकत दाखला व **MEP** अभियंता यांचे टेस्टिंग व पूर्णत्वाचा दाखला स्वदर करणेच्या अटीवर सदर दाखला देणेत येत आहे.

- 15) पुणेकरांचा "ना" दाखला घेणे अगोदर नळ्यांना AERATORS बसविणे व STP च्या TREATED पाण्यासाठी व बीजरतेलचे पाण्यासाठी वॉटर मिटर बसविणेच्या अटीवर सुंदरचा दाखला देणेत येत आहे. सदरचा ना हरकत दाखला मिळाली २२६८ सदनिमा व ४६४१२.३९ चौ.मी वाणिज्य साठी देणेत येत आहे.

परंतु एकूणच प्रकल्पाच्या अंतर्गत पाणीपुरवठा व्यवस्थेसाठी विकासकाने योग्य ते तांत्रिक नियोजन (आवश्यक भासल्यास पंपींग व इतर व्यवस्था) करावे याचा संपूर्ण जबाबदारी विकासक सोसायटीची राहिल. तथापी वर नमूद केलेल्या अटीचे पालन न केल्यास, बांधकाम भूमीवाद्या दाखला मिळण्याकरिता आवश्यक असलेला पाणीपुरवठा विभागाकडील "ना" हरकत दाखला मिळणार नाही याची नोंद घ्यावी.



कार्यकारी अभियंता

पाणीपुरवठा विभाग ४ होबिच कार्यालय
चिंपरी चिंचवड महानगरपालिका, चिंपरी-१८

- प्रत- १) मा. सहस्रहर अभियंता, बांधकाम परवानगी विभाग
यांना माहितीसाठी व पुढील कार्यवाहीसाठी.
२) मा. उपसंचालक, नगररचना
यांना माहितीसाठी व पुढील कार्यवाहीसाठी



Fire NOC



PIMPRI CHINCHWAD MUNICIPAL CORPORATION, PIMPRI - 18
FIRE DEPARTMENT



File No:- **769**

O.W.No:- Fire/01/SRC/WS/769/2023

Date:- **06/11/2023**

Provisional Fire No Objection Certificate for Building Construction (Rev-II)

Token No:- 103323240010936

Token Dt:- 04/10/2023

With reference to the application and Plans submitted, **01.06/10/2023** by the under mentioned applicant, technical inspection had been carried out by the concerned Officer of the Fire department in accordance with the submitted plan copies and documents.

Revised Fire NOC is being herewith issued under Unified Development Control Rules of State Govt. order No TFS/18/18/Prs. No-236/18/Viya Praya/C/27/1008/601/2014/UD-13, Dt - 02/12/2020, NBC 2014 - Part IV, and under Sec. 1(2) of Maharashtra Fire & Life Safety Act 2006 & Rules 2009, at the under mentioned site, subject to compliance of the following conditions.

Proposed Site Address:-

C.T.S No. 4854, Plot-a,
Pimpri,
Pune.

Plot Area	46670.45	Sq.Mtrs
Permissible Plt Area (Resl. And/Rary ful)	126867.29	Sq.Mtrs

Building Details -

Bldg. Nmc.	Height (From GL to Slab)	No. of Floors	Net Built-up Area (Sq.Mtrs)	Gross Built-up Area (Sq.Mtrs)	Occupancy Use Type	Bldg. Classification
Tower-A (Old)	84.65	BP/LGP+UGP+04 Stls/ Pk.+23	13171.85	21501.42	Resl.	Resl.
Tower-B (Old)	84.65	BP/LGP+UGP+04 Stls/ Pk.+23	9789.37	15214.38	Resl.	Resl.
Tower-C (Old)	84.65	BP/LGP+UGP+04 Stls/ Pk.+23	10428.03	15811.86	Resl.+Club House-2	Mix.
Tower-D (Old)	84.65	BP/LGP+UGP+04 Stls/ Pk.+23	12877.49	20991.95	Resl.	Resl.
Tower-E (Old)	18.15	BP/LGP+UGP+04 Stls/ Pk.+0	155.41	1948.49	Resl.	Resl.
Tower-F (Old)	18.15	BP/LGP+UGP+04 Stls/ Pk.+0	155.41	3211.51	Resl.	Resl.
Tower-G (Old)	18.15	BP/LGP+UGP+04 Stls/ Pk.+0	169.87	7111.48	Resl.	Resl.
Tower-H (Old)	18.15	BP/LGP+UGP+04 Stls/ Pk.+0	169.87	13854.18	Resl.	Resl.
Tower-I (Rev)	114.65(Rev)	BP/LGP+UGP+04 Stls/ Pk.+33 (Rev)	21394.17(Rev)	26900.85(Rev)	Resl.	Resl.
Tower-J (Old)	114.65	BP/LGP+UGP+04 Stls/ Pk.+33	21434.42	26198.77	Resl.	Resl.
Tower-K (Rev)	114.65(Rev)	BP/LGP+UGP+04 Stls/ Pk.+33 (Rev)	21878.12(Rev)	33273.38(Rev)	Resl.+Club House-1	Mix.
Tower-L (Old)	67.61	BP/LGP+UGP+04 Stls/ Pk.+14	10353.58	20409.24	Resl.	Resl.
Tower-M (Old)	6.65	BP/LGP+Ugr.	1020.19	4379.64	Offices+Shops	Comm.
Comm. Bldg.1 (Old)	12.65	Ugr.+Mezz.+Ext.+Mezz.	1580.82	1507.32	Shops	Comm.
Comm. Bldg.2 (Old)	6.65	Ugr.+Mezz.	1794.33	1794.33	Shops	Comm.
Club House-2 (Old)	21.65	BP/LGP+UGP+04 Stls/ Pk.+01	234.94	216.94	Old House-1	Comm.
Administration Court (Old)	15.65	BP/LGP+UGP+04 Stls/ Pk.	334.08	364.98	Administration Court	Comm.

1. Building Side margins, Drive ways, Staircases, Passages, Vehicle Ramps, Overruns as per shown in plan, for the maneuverability of the fire fighting vehicle should be kept absolutely free of obstructions, all the time. No landscaping or any other structural work, to be done in side margins or in any other way, obstructing the access to side margins.
2. Emergency Contact Numbers, Board of Fire, Ambulance, Police & MHA to be displayed prominently at main gate and other easily visible places.

1.	Podium if provided , should be designed and constructed to carry weight of 45 tons for Special Heavy Fire Rescue Vehicle (e.g. ACP, TH, etc). The required vehicle Turning Width, at Ramp ends & turning corners to be provided on podium. Podium Use to be painted with Red colour strip exactly above the Beam line to act as easily identify it and ease operation of the Special Fire Vehicle Outgoing leaving.				
4.	Door Head Noise (Type SL) to be provided on all floors with shut-off nozzle, (according to height of Bldg). fixed on wall only. (Fitting of hose reel drums on floor-Draindown open is not allowed).				
5.	Extra Standby Pump (Electric for Res. and Diesel driven as applicable) of same capacity connected to DG Set, to be installed.				
6.	Independent Overhead provision to be made with Size as per requirement as below given table for Standby Overhead Corner System.				
	Sr. No.	Zone	Bldg. Height in Mtrs.	Fire Quot Size in Mtrs.	Location
	A)	Zone 1	0 to 21.99	1.00 X 1.00	Near to the Fire Station
	B)	Zone 2	24 to 44.99	1.00 X 1.20	
			45 to 64.99	1.00 X 1.50	Inside the Fire Tower near to the Fire Lobby
			70 to 84.99	1.20 X 2.00	
	C)	Zone 3	90 to 134.99	1.50 X 2.00	
			145 to 179.99	1.50 X 2.50	
7.	Door Head RCC Fire Water Tank - 25,000 ltr. for buildings from 24 to 79 Mtrs height as well for Special/Heavy Res.Bldgs. Tank capacity varies depending upon type of occupancy of building.				
8.	Under Ground RCC Fire Water Tank - 50,000 ltr capacity for Buildings above 24 mtrs to 40 mtrs height, 75,000 ltr capacity for Buildings from 40 mtrs to 60 mtrs & 1,00,000 ltr. capacity for Buildings 60 to 79 mtrs. height and for Special/Heavy Bldgs. Tank capacity varies depending upon type of occupancy of building. However for group (cluster) of maximum 3 buildings, Fire Water tank if exists, its capacity should be calculated on the basis of 2250 ltr per minimum 2 hours of firefighting or min 50% of the total water requirement for all buildings, whichever is higher.				
9.	(a) Down Corner System - 4" dia, C class, 1 (one) 15 mark, G1 item, 1 to 5 HP Terrace pump with 152 mark accessories for each Bldg/Wing upto 24 mtrs height, with Head Mark on all floors to be provided with fire service inlet at accessible position. (b) Down corner Down Corner System (each Bldg/Wing) - 4" dia, C class, 51 mark G1 pipe, UG Tank Pump to be of Coupled Type, Positive Pressure Operating and above capacity for group/cluster of buildings (5 Wings and above) based on calculation with Head Pipes (according to height of Bldg), Hydrant Valves, Nozzle, Dring/L Starter, Pressure Switches, SO2 Switch, etc. to be (b) Mark for all Bldgs and provided with fire service inlet at accessible position. (c) Bldgs above 60 mtrs, UG Tank Pump to be of Multi Head, Multi Outlet type Automatic Sprinkler Installation Pump, to be provided with independent Pump of rated output and capacity. Jockey Pump of rated capacity to be provided for Water/Sprinkler system, etc.				
	Height of Bldg (Mtrs)	DN Tank Pump Cap.	UG Tank Pump Cap.	Pump Capacity	
	(i) 24 to 40 mtrs	900 lpm	1800 lpm	A fire fighting pump should be installed according to a capacity with water pressure should maintain not less than 3.5kg at the top most or remote point.	
	(ii) 40 to 60 mtrs	900 lpm	2280 lpm		
	(iii) 60 to 79 mtrs	900 lpm	2280 lpm		
	(iv) 100mtr & above in Height	900 lpm	2850 lpm		
10.	Automatic Sprinkler System to be provided for: (a) All types of Bldgs having Basements/Lower Parking, area more than 200 sq.mt. (Do-At, Multi-level Basement). (b) All Covered Ground and all Upper floor (multi-level) Stilt parking. (c) All Podium Parking (Below Podium) (all parking under elevated open space on podium). (d) All Mechanical / Purge / Stack Parking as Side Wind Separators diagonally fixed on opposite sides of support columns of the structure. (e) All Commercial Bldg with Covered Area more than 500 sq.mtr. - (Fire prone building). (f) All buildings (Relieving Refuge Area) other than Residential, Nix and educational of height above 45 mtrs. (g) All Hotels, Hospitals, Malls, Multiplexes, Watercourses, etc with height above 15 mtrs. (h) All Residential Buildings (Including Refuge Area) above 45 mtrs height to be fully sprinklered. - 15-1500 - Design and installation of Fixed Automatic Sprinkler Fire Suppression System. Sprinkler Pump shall be independent of rated output and capacity. (i) All Corridor, area, Stairs, Godown, Workshop, including passage area should be covered with sprinkler system.				
11.	Garbage chute if any, shall be provided with independent Sprinkler system at each garbage inlet point of the chute pipe.				
12.	MCP (Manual Call Point) and PA (Public Address) Communication System with Talk back facility to be provided (Not allowed in Fire Drills or Maintenance).				
13.	Minimum TWO Staircases (up and down) to be provided. One enclosed fire escape staircase of Fire Tamer Type to be provided with fire Resistant Doors assembly (with marks and accessories) of min 120 mins. (45mm thick) and Commercial Bldgs to install Metal F. R. Door of min 1 HRD approved. This fire staircase shall be treated for use of residents during fire and other emergencies and will not be taken into any other use, not even for installation of fire fighting system, etc.				
14.	Fire Resistance Doors as above, of min 120 mins (45mm thick) or per IS-8079 to be provided for all Floor Extension and balcony/Terrace opening Doors for buildings above 60 mtrs.				
15.	Fire Escape Staircase to be provided with Pressurization System, for Bldgs above 60 mtrs, Fire Tower Sprinkler Check Lobby Fire Quot (2 Hours Rating Fire Door with 1.5 Mtrs Pressurization System, Fire UPS, Fire Alarm 70 Mtrs. Bldg.				
16.	All Bldgs above 60 mtrs and Special Hotels, Malls, Multiplexes, Hospitals above 50 beds to be provided with fire Sealant Material of 2 hours rating at every point at the point of Electric cables and other pipes etc. passing through each floor or wall openings, etc.				
17.	Hotel Bldgs above 24 mtrs, Hospital Bldgs above 15 mtrs, other Fully Commercial Bldgs above 24 mtrs, Residential Bldgs above 45 mtrs and Malls, Multiplexes irrespective of their height to provide Fire Retardant Paint/Coat (DRD approved) for Electrical Cables.				
18.	Special Commercial Bldgs like hotels, Hospitals, Commercial Complexes, above 30 mtrs, Nix Educational Bldgs above 45 mtrs and Fully Residential Bldgs above 60 mtrs to provide at least 1 no. of Self Rescue Chute for each building.				
19.	Automatic Fire Suppression Systems to be provided for Commercial Kitchen Hoods of Hotels, Restaurants, Cafeterias, etc. complying LPS 1223/EN300.				
20.	Among the total lifts provided for Bldgs upto 34 mtrs height, minimum one lift to be fire safe of 145 kg payload capacity. Bldgs above 34 mtrs height to be provided with fire safe Standby lift (max 1.8 m x 2.5 m). These lifts shall				

4. **Podium if provided**, should be designed and constructed to carry weight of 40 tons for Special Heavy Fire Rescue Vehicle (SHPV, 75, etc). The required vehicular Turning Width, at Ramp ends & turning corners to be provided on podium. Podium slab to be painted with Red colour strip evenly above the Beam line to act as easily identify it and ease operation of the Special Fire Vehicle Outgoing leaving.
4. **Home Red Hose (Type B)** to be provided on all floors with shut off nozzle, (according to length of Bldg). fixed on wall. Only fitting of hose reel drums on floor-Dormer area is not allowed.
5. **Extra Standby Pump (Electric for Res. and Diesel driven as applicable)** of same capacity connected to DG Set, to be installed.
6. **Independent Duct provision** to be made with size as per mentioned in below given table for Fire main Down Corner System.
- | Sr. No. | Zone | Bldg. Height in Mtrs. | Fire Duct Size in Mtrs. | Location |
|---------|--------|-----------------------|-------------------------|--|
| A) | Zone 1 | 8 to 23.99 | 1.00 X 1.00 | Near to the Fire Staircase |
| B) | Zone 2 | 24 to 44.99 | 1.00 X 1.20 | |
| C) | Zone 3 | 45 to 65.99 | 1.00 X 1.50 | Inside the Fire Tower near to the Fire Lobby |
| | | 66 to 85.99 | 1.20 X 2.00 | |
| | | 86 to 134.99 | 1.50 X 2.00 | |
| | | 135 to 170.99 | 1.50 X 2.50 | |
7. **Over Head RCC Fire Water Tank** - 25,000 ltr for buildings from 24 to 75 Mtrs height as well for Special/Res. Bldgs. Tank capacity varies depending upon type of occupancy of building.
8. **Under Ground RCC Fire Water Tank** - 50,000 ltr capacity for Buildings above 24 Mtrs to 40 Mtrs height, 75,000 ltr capacity for Buildings from 40 Mtrs to 80 Mtrs & 1,00,000 ltr capacity for Buildings 80 to 75 Mtrs height and for Special/Res. Bldgs. Tank capacity varies depending upon type of occupancy of building. However for group (cluster) of maximum 5 buildings, the Water tank if single, its capacity should be calculated on the basis of 2250 ltr per minimum 2 hours of firefighting or min 50% of the total water requirement for all buildings, whichever is higher.
9. (a) **Down Corner System** - 4" dia, C class-15 mark, GI Pipe, 3 to 5 HP Terrace pump with 3/4 mark acceleration for each Bldg/Wing upto 24 Mtrs height, with Hose Reels on all floors to be provided with fire service line at accessible position.
(b) **Riser run Down Corner System** (each Bldg/Wing) - 4" dia, C class, 15 mark GI pipe, DG Tank Pump to be of Coupled Type, Positive Pressure Operating and above capacity for group/cluster of buildings (5 Wings and above) based on calculation with Home Pipes (according to length of Bldg), Hydrant Valves, Nozzle, Fittings, Starter, Pressure Switches, BOA Switch, etc. to be GI pipes for all Bldgs and provided with fire Service line at accessible position.
for Bldgs above 60 Mtrs, DG Tank Pump to be of Multi Head, Multi Outlet type. Automatic Sprinkler installation if any, to be provided with independent Pump of rated output and capacity. Jockey Pump of rated capacity to be provided for Wet/Sprinkler system, etc.
- | Height of Bldg (Mtrs) | OH Tank Pump Cap. | UG Tank Pump Cap. | Pump Capacity |
|----------------------------------|-------------------|-------------------|---|
| (i) 24 to 40 Mtrs | 900 gpm | 1800 gpm | A fire fighting pump should be installed according to a capacity with water pressure should maintain not less than 3.5kg at the top most or remote point. |
| (ii) 40 to 60 Mtrs | 900 gpm | 2280 gpm | |
| (iii) 60 to 70 Mtrs | 900 gpm | 2280 gpm | |
| (iv) 70 Mtrs & above i.e. Height | 900 gpm | 2850 gpm | |
10. **Automatic Sprinkler System** to be provided for:
(a) All types of Bldgs having Basements/Lower Parking area more than 200 sq.mt.
(b) All Multi-level Basements.
(c) All Covered Ground and all Upper floor (multi-level) car parking.
(d) All Podium Parking (Below Podium) (all parking under elevated open spaces on podium).
(e) All Mechanical / Purge / Stack Parking as Side Wall Sprinklers diagonally fixed on opposite sides of support columns of the structure.
(f) All Commercial Bldg with Covered Area more than 500 sq.mts - (For three building).
(g) All buildings (Including Refuge Area) other than Residential, Mix and Educational of height above 45 Mtrs.
(h) All Hotels, Hospitals, Malls, Multiplexes, Warehouses, etc with height above 15 Mtrs.
(i) All Residential Buildings (Including Refuge Area) above 45 Mtrs height to be fully sprinklered.
15-15000 - Design and installation of Fixed Automatic Sprinkler Fire Suppression System. Sprinkler Pump shall be independent of rated output and capacity.
(j) All Cinema, area, Shops, Godown, Warehouse, including passage area should be covered with sprinkler system.
11. **Garbage chute** if any, shall be provided with independent Sprinkler system at each garbage port point of the chase pipe.
12. **MCR (Manual Call Point) and PA (Public Address) Communication System** with Talk Back facility to be provided (not allowed in Fire ducts or MCR area).
13. **Minimum TWO Staircases** (apart to be provided). One enclosed Fire Escape Staircase of Fire tower Type to be provided with Fire Resource Doors (Resistive) with min 1.5 Mtrs thickness of min 120 mins. (Jelcon thick) and Commercial Bldgs to install Metal & W. Door of min 1.5 Mtrs thickness. Two staircase shall be treated for use of inhabitants during fire and other emergencies and will not be taken into any other use, not even for installation of fire fighting system, etc.
14. **Fire Resistance Doors** as above, of min 120 mins (15 Mtrs thick) as per IS-8079 to be provided for all flag entrance and balcony/terrace opening doors for buildings above 60 Mtrs.
15. **Fire Escape Staircase** to be provided with Pressurization System for Bldgs above 60 Mtrs, Fire Tower Smoke Check Lobby Fire Duct 12 Hours Rating Fire Door with 1.5 Mtrs Pressurization System, Fire Lift, Fire Above 70 Mtrs Bldg.
16. All Bldgs above 60 Mtrs and Staircase, Malls, Multiplexes, Hospitals above 50 Mtrs to be provided with Fire Sealant material of 2 hours rating at every floor at the point of Electric cables and other pipes etc passing through such doors or walls openings, etc.
17. Hotel Bldgs above 24 Mtrs, Hospital Bldgs above 15 Mtrs, other Fully Commercial Bldgs above 24 Mtrs, Residential Bldgs above 45 Mtrs and Malls, Multiplexes irrespective of their height to provide Fire Retardant Paint/Coat (ORGI approved) for Electrical Cables.
18. **Special Commercial Bldgs** (Hotels, Hospitals, Commercial Complexes, above 30 Mtrs, Mix Occupancy Bldgs above 45 Mtrs and Fully Residential Bldgs above 60 Mtrs) to provide at least 1 no. of Self Rescue Chute for each building.
19. **Automatic Fire Suppression Systems** to be provided for Commercial Kitchen Hoods of Hotels, Restaurants, Canteens, etc. complying LPS 1223/1300.
20. **Among the total Lifts provided**, for Bldgs upto 44 Mtrs height, minimum one lift to be fire lift of 345 kg per person capacity. Bldgs above 44 Mtrs height to be provided with Fire run Staircase lift (min 1.5 m x 3 x 1000 lbs) shall

	• IS-4326 Code for Earthquake Resistant Design and Construction of building • IS-2898 Code for Protection of buildings against Lightning Safety.
NOC Applicable Points from:-	1, 2, 3, 4, 5, 6(C), 7, 8, 9(a), 10, 10(a), 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26 (a), 26, 27, 28, 29(a), 30, 31(2), 32, 33, 34 Only.
NOC Remarks if any	Free Fire NOC No. 477/SPC/Ws/Ws/2022, Dt. 18/10/2022. Recd. By Rec-1, Fire NOC No. 477/SPC/Ws/Ws/2022, Dt. 05/09/2022. Subject to Sanctioned Plan No. 48/Layout/Permit/24/2022, Dt. 25/09/2022. As per proposal note no. 2012 sanctioned by Hon. Addl. Commissioner on Dt. 31/10/2022.

Since, this NOC is only for building construction purposes, Fire NOC for the Business / Utility purposes should be taken separately, eg. Malls, Multiplexes, Hotels, Hospitals, Schools, Gas Banks, Gas Agencies, Petrol Pumps, etc.

This NOC is a guideline, based/tracked on present codes/rules/conditions, to carry out / provide / install fire equipments and installation as per governing rules. However, practical technical working, designing and actual implementation may require additions to fire equipment, etc. depending upon the actual site conditions during/after the construction and to the rules prevailing during that time. The concerned Fire Consultants / Fire Licensing Agency / MCP Consultants / Project Management Consultants / etc. should work out on pure technical grounds. The fire equipments, systems to be installed should be of high standard, having ISI/PCB/IS/ISIRI/ALC/ etc. standard.

This NOC to be read carefully and note to be taken of all the "Applicable Points" mentioned above. All applicable points/conditions to be fulfilled and the installations to be installed before the submission of Final Fire NOC. The Fire Fighting System Installation to be got done by actual Licensed Fire Agency only, and the Fire Installation Certificate (AFC) in Form 'A' as per Sec.3(1) of Maharashtra Fire & Life Safety Act - 2004, to be submitted at the time of Final NOC.

Difference of fees amount if any, found during Audit, in future, will be recovered from the Applicant / Occupier. Fire NOC Fees once paid, is Non-refundable.

This is a temporary NOC, issued only for start sanctioning of the buildings and layout purposes, from fire prevention point of view. This NOC should not be treated as a Permission. This Fire NOC doesn't imply any final clearance of matter or should not be taken as granted for clearance of building permission. Necessary Permissions and/or Clearances to be sought from concerned Building Permission/Town Planning, Aviation, MPOB, Defense, Collectorate Office, etc. Depts as applicable.

Fire Dept reserves the right to alter, modify, refuse or revoke the NOC.

All other rules governing of this department and/or changes, up-gradation in equipment/installation are applicable from time to time.

Any false or wrong information or documents given knowingly or unknowingly or manipulated, or precautions mentioned above if not adhered, will be liable for cancellation / revoking of the NOC as per D.386(1) of MMC Act -2012 and the applicant will be solely responsible for the matter and will be liable for legal action. NOC Fees once paid, shall not be refunded.

NOC issued, subject to final approval No. in Building Permission Dept. of PWD.

(Abbrev: B-Basement, Gf-Ground, S/G-3rd, Ff-Floor, P/P-Podium, P/P-Parking, P/P-Podium Parking, BP-Basement Parking, USP-Upper Basement Parking, LBP-Lower Basements, GP-Ground Parking, LWP-Lower Ground Parking, UGP-Upper Ground Parking)

Proposed Site Address:-

C.T.S.No. 4854, Plot-A Pimpri,
Pune.


Fire Officer
Pimpri Chinchwad Municipal Corporation
Pimpri, Pune-411018.

To,
M/s. Sankalp Designers/Ar.Us. Shiksha Agrawal
Owner/ Through M/s. Mahindra Life Spaces Developers Ltd.

Particulars	Previous NOC No. & Date	NOC Fees Paid (Rs.)	Receipt No. & Date
Paid For CFC	N/A	1,500/-	R.No.30332230067468, Dt.18/10/2022
Paid For Free NOC	893, Dt.18/10/2022	4,09,20,400/-	R.No.30332230068007, Dt.18/10/2022
Paid For CFC	N/A	1,500/-	R.No.303322300684490, Dt.28/08/2023
Paid For Rec-1 NOC	477, Dt.05/09/2023	59,51,000/-	R.No.303322300686218, Dt.05/09/2023
Paid For CFC	N/A	1,500/-	R.No.30332230068572, Dt.04/10/2023
Diff. Amt. Paid	N/A	72,95,800/-	R.No.303322300687594, Dt.06/11/2023
Total Paid		5,35,71,800/-	
Diff. Amt. Paid For Proq. Fire NOC Fees Rs.72,95,800/- paid			

*Fees Receipt to be preserved properly & Xerox copy submitted during next submission for Revision or Final NOC case.
(Initials)

Garden NOC



पिंपरी चिंचवड महानगरपालिका
पिंपरी-18, उद्यान/वृक्षसंवर्धन विभाग
क्र. उद्यान/3/कावि/1483/2022
दिनांक: 06/09/2022

प्रति,
मे. महिंद्रा लाईफस्पेस डेव्हलपर्स तर्फे
श्री. दिपक मुसळे
व्दारा-आर्किटेक संकल्प डिझायनर्स तर्फे
आर्टिसन हाऊस, प्लॉट नं. 440/4
मॉडेल कॉलनी, शिवाजीनगर पुणे-16..

विषय - वृक्षसंवर्धन नाहरकत दाखल्याबाबत....
(बांधकाम परवानगी चालू करण्याकामी)

- संदर्भ- 1) आपला दिनांक. 05/08/2022 चा अर्ज.
2) सहा उद्यान अधिकक यांचा दिनांक 05/09/2022
रोजीचा पाहणी अहवाल.

आदेश,

स. नं. 191 ते 195 (१), सि.स.न. 4854, प्लॉट अ, पिंपरी, येथे
बांधकाम नियोजित आहे. दाखल अर्जानुसार जागेचे एकुण क्षेत्रफळ 46070.45
चौ.मी. असून मानांकांप्रमाणे 576 वृक्ष आवश्यक आहेत. जागेची पाहणी केली
असता 25 सेमी मध्यवेदी पुढील 335 वृक्ष आहेत. व 25 सेमी मध्यवेदी
आतील 31 वृक्ष आहेत. मानांकानुसार 241 वृक्षांची अनामत पावती क्र 496621
दिनांक 06/09/2022 अन्वये रक्कम रुपये 24,10,000/- व बिनव्याजी या
कार्यालयात जमा केलेले आहेत.

सबब सदर. ठिकाणी बांधकाम चालू करणे करीताचा दाखला मिळणेकामी या
विभागाकडील नाहरकत दाखला देणेत येत आहे. बांधकाम परवानगी मिळाल्यानंतर काम
चालू करताना बांधकामात झाडे येत असतील तर झाडे काढणेकामी स्वतंत्र प्रस्ताव सादर
करावा.

तसेच सुचित करणेत येते की, बांधकाम पूर्णत्वाचे वेळी सोबतच्या यादीप्रमाणे
वृक्ष लावणेत यावेत. या विभागाकडून वृक्ष लावल्याचे खातरजमा करणेत आले नंतरच
बांधकामपूर्णत्वासाठी या विभागाचा नाहरकत दाखला देणेत येईल. तसेच भरलेली अनामत
तीन वर्षांनंतर झाडांची स्थिती पाहून अलहिदा परत केली जाईल.




वृक्षअधिकारी
पिंपरी चिंचवड महानगरपालिका
पिंपरी-18.

PCMC NOC



उद्यान व वृक्षसंवर्धन विभाग
पिंपरी चिंचवड महानगरपालिका
जा.क्र. उद्यान/३अ/कावि/३०१/२०२५
ऑनलाईन नंबर ३५२४५
दिनांक :- ३१/०७/२०२५

प्रति,

म. महिंद्रा लाईफ स्पेस डेव्हलपर्स लि.

महिंद्रा टॉवर्स ५ वा मजला

डॉ. जी.एम.मोसले मार्ग वरळी,

मुंबई - ४०००१८.

विषय - पिंपरी चिंचवड मनपा हद्दीतील पिंपरी वेधील स.नं. १९१ ते १९५

(पै.) सी.टी.एस. नं ४८५४ प्लॉट- अ जुना पिंपरी प्रकल्पामधील देशी

झाडांची लागवड करणे बाबत

संदर्भ - १) आपले दिनांक - २८/०५/२०२५ रोजीचे पत्र

२) वृक्ष पूर्ण काढणे व पुनरोपण करणे बाबतचे आदेश

अ.) जा. क्र. उद्यान /३अ/कावि/६९४/२०२३ दि. २८/०४/२०२३

ब.) जा. क्र. उद्यान /३अ/कावि/३०१/२०२४ दि. २६/२/२०२४

क.) जा. क्र. उद्यान /३अ/कावि/१८/२०२४ दि. ०१/०१/२०२४

ड.) जा. क्र. उद्यान /३अ/कावि/१४७६/२०२४ दि. १०/०७/२०२४

३) प्र. संहा उद्यान अधीक्षक यांचेकडील दिनांक ३०/०७/२०२५ रोजीचा अहवाल

२/- संदर्भित प्राप्त पत्रानुसार मा. वृक्षप्राधिकरण महाराष्ट्र अधिनियम क्रमांक ४४० [महाराष्ट्र (नागरी क्षेत्र) झाडांचे संरक्षण व जतन अधिनियम, १९७५] नुसार मनपा हद्दीतील स.नं. १९१ ते १९५ (पै.) सी.टी.एस. नं ४८५४ प्लॉट- अ येथे मा.वृक्ष प्राधिकरण अधिनियम बांधकाम मानकप्रमाणे वृक्ष त्याच जागेत प्रणार असून अतिरिक्त कलकवाच्या भरपाई वृक्षारोपणा करिता बांधकाम परवानगी देण्यात आलेल्या ठिकाणी जागा पुरेची नसलेले भरपाई वृक्षारोपण सर्व्हे, नं -१५० कॅन्टोन्मेंट बोर्ड देहूरोड (केंद्रीय विद्यालय १ कॅम्पस) पिंपरी चिंचवड हद्दीला लागून सन २०२५-२६ या आर्थिक वर्षात एकूण ४००० झाडे लागवडबाबत तयारी दर्शविली असून त्याकीत नवीन वृक्ष लागवड करणेबाबत परवानगी मिळणेकामी संदर्भित क्र. ०१ च्या अजन्धिये विनंती केली असून त्यानुसार वृक्ष लागवड करणेकामी जागा उपलब्ध करून देणे आवश्यक आहे.

तरी अर्जदार यांच्या भरपाई वृक्षारोपणासाठी सर्व्हे, नं -१५० कॅन्टोन्मेंट बोर्ड देहूरोड (केंद्रीय विद्यालय १ कॅम्पस) लागवडकरिता खालील अटीवर जागा उपलब्ध करून देण्यात येत आहे.

१. सदर जागेत झाडांना पाणी देणे, झाडांना आधार देणे व सदर जागेतील गळत काढणे इत्यादी कामे आपल्याकडून करणे आवश्यक आहे.
२. सदर उपलब्ध करून दिलेल्या जागेवर कोणत्याही प्रकारचा मालकी हक्क या अधिकार आपणांकडून दाखवता / संगतता येणार नाही.
३. सदर जागेत केलेली वृक्ष लागवडीचे वृक्षांचे संवर्धन करण्याचा कालावधी ०३ वर्षांपर्यंत राहील.
४. सदर जागेत कोणत्याही प्रकारचे जाडिरातीचे फळक लावुनये
५. वृक्ष लागवड केलेनंतर Google Tag कलर फोटोसह तसा अहवाल कार्यालयात सादर करण्यात यावा.

mahindra LIFESPACES

Mahindra Lifespace Developers Ltd.

Mahindra Towers, 5th Floor,
Dr. G. M. Bhosale Marg, Worli,
Mumbai - 400018, India

Tel: +91 22 6747 8600
www.mahindralifespaces.com

CIN : L45200MH1999PLC118949

Date: 30th December 2025

To,
The Assistant Commissioner,
PCMC Garden Department,
Rose Garden, Bhosari,
Pimpri-Chinchwad,
Maharashtra 411026

**Subject: Completion of Compensatory Tree Plantation Work at Cantonment Dehu Road
(Kendriya Vidyalaya No.1) (4000 Nos Trees)**

Respected Sir,

With reference to permission from Pimpri Chinchwad municipal corporation Garden department letter vide Ref No.-Udyan/3A/kavi/301/2025 dated 31/07/2025 regarding the progress of compensatory tree plantation work, we are pleased to inform you that **plantation of 4000 nos trees at the designated Cantonment Dehu Road (Kendriya Vidyalaya No.1) has been successfully completed** in accordance with the approved guidelines.

A variety of native and environmentally beneficial species have been planted, significantly contributing to the enhancement of the region's green cover and promoting environmental sustainability.

The plantation work of 4000 trees at Cantonment Dehu Road (Kendriya Vidyalaya No.1) has been executed in strict compliance with all prescribed environmental and horticultural standards, ensuring optimal growth and survival. Regular maintenance activities, including watering and protective measures, are being undertaken to support the healthy establishment of the trees. Additionally, after tree plantation, a **36 months maintenance plan** has been put in place to ensure their proper growth and survival.

We sincerely appreciate the support and recognition extended to us for our efforts in tree plantation across the **Cantonment Dehu Road (PCMC area)**.

Enclosed herewith are the **detailed progress report, and Geotagging report** for your reference.

Thanking you.



Digitally signed by VEDANT SHOLE
DN: cn=VEDANT SHOLE, o=MAHINDRA
LIFESPACES DEVELOPERS LIMITED, ou,
mailto=vedant.shole@mahindralifespaces.com,
c=IN
Date: 2025.12.29 19:17:19 +05'30'

For M/s. Mahindra Lifespace Developers Limited
(Authorized Signatory)

लिपिक 30/12/25
उद्यान विभाग
पिंपरी-चिंचवड महानगरपालिका
पिंपरी - ४११०१८

Aviation NOC

Tele: 011-23010231/ 5216
Fax: 011-23792016

Regd Post

Dte of Ops (ATS)
Air HQ (VB)
Rafi Marg
New Delhi -110006

Air HQ/S 17726/01/ATS (PC-MMMCCCXLVI)

03 November 2023

M/s Mahindra Lifespace Developers
C/o Soham Advisory
202, City Mall, University Road
Shivajinagar, Pune
Maharashtra-411004

CORRIGENDUM

NOC FOR CONSTRUCTION OF BUILDING

1. Please refer the following letters: -

- (a) Air HQ/S 17726/01/ATS (PC-MMMCCCXLVI) dt 02 Mar 23.
- (b) Your letter dt 24 Mar 23 for review of NOC.

2. NOC issued by this HQ vide Air HQ/S 17726/01/ATS (PC-MMMCCCXLVI) dt 02 Mar 23 has been reviewed. Air HQ has no objection for construction of proposed building **with a reduced height of 113.3m AGL/ 677.20m AMSL, whichever is lower** at CTS No. 4854, Plot No. A, Village Pimpri, Taluka Haveli, District Pune (Maharashtra). It is reiterated that there is **no change** in the terms and conditions mentioned in Para 2 of NOC issued vide letter No. Air HQ/S 17726/01/ATS (PC-MMMCCCXLVI) dt 02 Mar 23.

3. For information, please.



(Sudhir Babu)
Group Captain
Group Captain Operations ATS

Drainage NOC



पिंपरी चिंचवड महानगरपालिका,
पिंपरी-१८,
'ह' प्रभाग, जलनिःसारण विभाग
क्र.जनि/ह/का/१४८७/२०२२
दिनांक: २९/०९/२०२२

प्रति,

मे.महिंद्रा लाईफ स्पेस डेव्हलपर्स लिमिटेड तर्फे
संकल्प डिझायनर्स करिता ला.आ.शितेश आगरवाल
आर्टिस्ट्स हाउस, प्लॉट नं.-४४०/४, गोखले क्रॉस रोड,
मॉडेल कॉलनी, शिवाजीनगर,
पुणे-४११०१६

विषय :- इमारतीच्या अंतर्गत जलनिःसारण व्यवस्थे अंतर्गत पर्यावरण ना हरकत दाखला देण्याबाबत...

संदर्भ :- १) टोकन क्र. -१०३३२२२३०००८८३१ दि-१५/०९/२०२२

महोदय,

आपण दिनांक १५/०९/२०२२ रोजी पर्यावरण ना हरकत प्रमाणपत्र साठी जलनिःसारण विभागाचा ना हरकत दाखला मिळणेकामी अर्ज केला आहे. सदर बांधकाम प्रकल्प मे.महिंद्रा लाईफ स्पेस डेव्हलपर्स लिमिटेड तर्फे संकल्प डिझायनर्स तर्फे ला.आ. शितेश आगरवाल यांचा पिंपरी येथील मिस.नं. ४८५४, प्लॉट - ए येथे असून आपण नकाशात सादर केले प्रमाणे प्रकल्पात एकूण भूखंड क्षेत्र- ४६०७०.४५ चौ.मी.असून एकूण बांधकाम क्षेत्र २,६०,०५६.७२ चौ.मी. आहे. पैकी कलव हाउस क्षेत्र २८३.५७ चौ.मी व ४६१२८.८२ चौ.मी व्यापारी क्षेत्र, तसेच २,१३,९२७.९० चौ.मी. क्षेत्र निवासी (२२६८ सदतिका) आहे. EC साठी एकूण बांधकाम क्षेत्र ४८९,३४४.०३ चौ.मी. आहे.

प्रस्तुत प्रकरणी आपणास कळविणेत येते की महानगरपालिकेच्या जलनिःसारण ना हरकत दाखल्यामध्ये नमूद केल्यानुसार सदर बांधकाम प्रकल्पासाठी महाराष्ट्र प्रदूषण नियंत्रण मंडळाचे अटी व शर्तीनुसार आवश्यक क्षमतेचा मैलाशुद्धीकरण प्रकल्प बांधणेत यावा. सदर मैलाशुद्धीकरण केंद्रामध्ये प्रकल्पातील मैलापाणी प्रक्रिया करून प्रक्रिया युक्त पाणी वागकाम व फलशिंग साठी वापरणेत यावे. मा.सह शहर अभियंता जलनिःसारण विभाग, पिंपरी चिंचवड महानगरपालिका पिंपरी-१८ यांचेकडील दि.०२ जून २०२१ रोजीचे मंजूर टिपणी नुसार प्रक्रिया युक्त पाण्याचा पुर्नवापर करून उर्वरित पाण्याची विल्हेवाट मत्तपाच्या उपलब्ध कार्यान्वित पावसाळी पाण्याच्या (SWD) नलिकेस स्थापत्य विभागाच्या पूर्व परवानगीने जोडण्याच्या अटीवर जलनिःसारण विभागाचा ना हरकत दाखला देणेत येत आहे.

सर्व आपण सादर केलेल्या अर्जांनुसार व खाली दिलेल्या अटीस अधिन राहून पर्यावरण ना हरकत प्रमाणपत्रासाठी सदरचा ना हरकत दाखला देणेत येत आहे.

- १) सदर दाखल्या चा वापर फक्त पर्यावरण विभागाची मंजूरी प्राप्त करणेसाठी देणेत येत आहे.
- २) प्रक्रिया युक्त पाण्याचा पुर्नवापर करून उर्वरित पाण्याची विल्हेवाट मत्तपाच्या उपलब्ध कार्यान्वित पावसाळी पाण्याच्या (SWD) नलिकेस ह क्षेत्रीय स्थापत्य विभागाच्या पूर्व परवानगीने जोडण्यात यावे.

Dr. S. S. S.
उप अभियंता

ह क्षेत्रीय जलनिःसारण विभाग

PART D

ANNEXURE NO.	ANNEXURE
Annexure -01	Sanitary & Hygienic Measures
Annexure -02	PAPER ADVERTISMNET
Annexure -03	Facilities provided to Labour Hutments
Annexure -04	Ambient air, Noise , Water Monitoring and analysis Reports

ANNEXURE -1

Sanitary & Hygienic Measures

Sanitary and Hygiene Measures

- Toilets and Urinals are provided to construction workers and cleaning done on daily basis.
- Separate storage tanks for storage of domestic and Drinking water (RO Water) have been provided.
- Solid waste is being disposed daily to municipal collection system.
- The provided separate area is maintained in hygiene point of view.
- Workers health will be regularly monitored and even Health insurance is provided.
- All construction activity will be followed strictly with guideline of safety measures to assure worker's health and safety.
- Rest Room provided for workers at site.
- Construction Safety Board provided on site.

ANNEXURE – 2 Paper Advertisement

ANNEXURE 3

FACILITIES PROVIDED TO LABOUR HUTMENTS

Facilities provided:

- We have provided 38 non movable toilets and 08 Nos of Urinals for Labour.
- RO Plant-Drinking Water facility at various location has also been provided including Labour colony and Site.
- Water Tank for domestic purpose is provided. In addition, Water Tanker also comes daily for supplying water.
- Electric bulbs, wall mounted fan, Bed bunks etc. has been provided.
- Sewage generated at labour colony has been treated in STP (50 KL) capacity.
- Recreational facility like Indoor games / TV with DTH connection provided.
- Regular pest control has been done at colony and site including Rodent/Cockroach/Bed bug and mosquito etc.
- Regular visit of Doctor at labour colony.
- Dedicated dining area provided.
- Septic Tank & soak pits provided.
- We have also provided insurance to our laborers. Insurance copy is attached for your reference.

Reference No.: W546502347

Date: May 08, 2026

Dispatch Advice Letter

Dear Sir/Madam,

We value your relationship with ICICI Lombard General Insurance Company Limited and thank you for choosing us as your preferred insurance provider.

Please find attached herewith Policy No. 4010/343018118/02/000 which has been issued based on the previous year Policy No. with us and the necessary endorsements (if any) done in the same policy for the following insured:

KRISHNA BUILESTATES PVT LTD
B 28 ,GK 1 NEW DELHI INDIA DELHI NEW DELHI 110048
NEW DELHI
DELHI - 110048

Please go through the details as furnished in the format and also as provided in the policy document to ensure that they are in order. If you feel that there are any discrepancies/variations, please write to us immediately for the necessary changes/rectification. In the absence of any communication from you in this regard within a period of 15 days of receipt of this letter, we would understand that you have accepted the contents and the coverage to be in accordance with your application.

Your renewed policy will be handed over to you shortly by your Relationship Manager / Agent / Broker. In case you don't receive it within 10 days, please mail us at info@icicilombard.com stating the renewed policy number.

Thank you once again and look forward to a lasting relationship.

Authorised Signatory

ICICI Lombard General Insurance Company Ltd.

Reference No.: W546502347

Date: May 08, 2026

KRISHNA BUILESTATES PVT LTD
B 28 ,GK 1 NEW DELHI INDIA DELHI NEW DELHI 110048
NEW DELHI
DELHI - 110048

Risk Assumption Letter

Dear Sir/Madam,

We value your relationship with ICICI Lombard General Insurance Company Limited and thank you for choosing us as your preferred insurance provider.

Please find attached herewith Policy No. 4010/343018118/02/000 which has been issued based on the previous year's policy No. with us and the necessary endorsements (if any) done in the same policy.

Please go through the last year's policy, endorsement documents and details provided in the policy document to ensure that they are in order. If you feel that there are any discrepancies/variations, please write to us immediately for the necessary changes / rectification. In the absence of any communication from you in this regard within a period of 15 days of receipt of this letter, we would understand that you have accepted the contents and the coverage to be in accordance with your application.

Thank you once again and look forward to a lasting relationship.

Authorized Signatory

ICICI Lombard General Insurance Company Ltd.

EMPLOYEE'S COMPENSATION INSURANCE

Part 1 of the POLICY SCHEDULE

Policy No.	4010/343018118/02/000
Issued at:	NOIDA
Name of the Insured:	KRISHNA BUILESTATES PVT LTD
Address of the Insured:	B 28 ,GK 1 NEW DELHI INDIA DELHI NEW DELHI 110048, NEW DELHI, DELHI - 110048
Period of Insurance:	From: 09-May-2026 00:00 Hours To Midnight of 08-May-2027
Total Sum Insured:	13,35,18,000.00
UIN:	IRDAN115CP0017V02201920
Intermediary Details:	Intermediary Code: 200117879079
	Intermediary Name: ANIL KUMAR MISHRA
	Intermediary Contact: 9818008600
	Intermediary E-mail ID: insurance.anilkr@gmail.com
HR Details	HR Contact Number: 9818008600
	HR Email Address: insurance.anilkr@gmail.com

1.Premium Calculations:	
Premium	1,83,171.00
Stamp Duty	92.00
CGST	0.00
SGST	0.00
IGST	32,970.78
UGST	0.00
Total GST	32,971.00
Total Premium*	2,16,234.00

*Premium value mentioned above is inclusive of taxes applicable

2. No. of lives: 500

3.Details of employees to be insured:

Estimated Number of Employees	Occupation of Employees	Estimated Total Salaries Wages and other money earnings	Estimated Total Earnings for the Policy Duration	Place or Places of Employment	Industry Classification	Sub Industry Classification	Risk Classification Code
3	Crane Operator	22500	810000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA--.....MAHAR	Builders - construction incl civil constructions	NA	46

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115
 Mailing Address:
 601 & 602, 6th Floor, Interface 16,
 New Linking Road, Malad (West)
 Mumbai - 400 064

CIN: L67200MH2000PLC129408
 Registered Office Address:
 ICICI Lombard House, 414, Veer
 Savarkar Marg, Near Siddhi Vinayak
 Temple, Prabhadevi, Mumbai 400 025

UIN : IRDAN115CP0017V02201920
 Toll free no : 1800 2666
 Alternate no : 86552 22666 (chargeable)
 E-mail : customersupport@icicilombard.com
 Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Estimated Number of Employees	Occupation of Employees	Estimated Total Salaries Wages and other money earnings	Estimated Total Earnings for the Policy Duration	Place or Places of Employment	Industry Classification	Sub Industry Classification	Risk Classification Code
				ASHTRA--PUNE--41 1018			
20	Supervisor	30000	7200000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46
10	Housekeeping	20000	2400000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46
3	Electrician	21000	756000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115

Mailing Address:

 601 & 602, 6th Floor, Interface 16,
 New Linking Road, Malad (West)
 Mumbai - 400 064

CIN: L67200MH2000PLC129408

Registered Office Address:

 ICICI Lombard House, 414, Veer
 Savarkar Marg, Near Siddhi Vinayak
 Temple, Prabhadevi, Mumbai 400 025

UIN

: IRDAN115CP0017V02201920

Toll free no : 1800 2666

Alternate no : 86552 22666 (chargeable)

E-mail : customersupport@icicilombard.com

Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Estimated Number of Employees	Occupation of Employees	Estimated Total Salaries Wages and other money earnings	Estimated Total Earnings for the Policy Duration	Place or Places of Employment	Industry Classification	Sub Industry Classification	Risk Classification Code
88	Semi Skilled Workers	21500	22704000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA---MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46
3	Driver	21000	756000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA---MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46
130	Skilled Workers	22700	35412000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 4110 18, MAHARASHTRA, INDIA---MAHARASHTRA--PUNE--41 1018	Builders - construction incl civil constructions	NA	46
1	Vice President	150000	1800000	CONSTRUCTION FOR CORE AND SHELL WORK	Builders - construction incl civil	NA	46

ICICI Lombard General Insurance Company Limited
IRDA Reg. No. 115
Mailing Address:

601 & 602, 6th Floor, Interface 16,
New Linking Road, Malad (West)
Mumbai - 400 064

CIN: L67200MH2000PLC129408

Registered Office Address:

ICICI Lombard House, 414, Veer
Savarkar Marg, Near Siddhi Vinayak
Temple, Prabhadevi, Mumbai 400 025

UIN

: IRDAN115CP0017V02201920

Toll free no : 1800 2666

Alternate no : 86552 22666 (chargeable)

E-mail : customersupport@icicilombard.com

Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Estimated Number of Employees	Occupation of Employees	Estimated Total Salaries Wages and other money earnings	Estimated Total Earnings for the Policy Duration	Place or Places of Employment	Industry Classification	Sub Industry Classification	Risk Classification Code
				PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 411018, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--411018	constructions		
2	Project Manager	110000	2640000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 411018, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--411018	Builders - construction incl civil constructions	NA	46
240	Unskilled Workers	20500	59040000	CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II, OF PROPOSED-RESIDENCIAL DEVELOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,, PUNE, 411018, MAHARASHTRA, INDIA--MAHARASHTRA--PUNE--411018	Builders - construction incl civil constructions	NA	46
Total: 500			Total : 133518000				

4. Scope of cover

Main Coverage:	EC Liability Cover Table 'A'
Extensions	
Per Person Limit Only	Medical Extension is covered upto 5,00,000.00 per person for the policy period

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115

Mailing Address:

601 & 602, 6th Floor, Interface 16,
New Linking Road, Malad (West)
Mumbai - 400 064

CIN: L67200MH2000PLC129408

Registered Office Address:

ICICI Lombard House, 414, Veer
Savarkar Marg, Near Siddhi Vinayak
Temple, Prabhadevi, Mumbai 400 025

UIN

: IRDAN115CP0017V02201920

Toll free no : 1800 2666

Alternate no : 86552 22666 (chargeable)

E-mail : customersupport@icicilombard.com

Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Coverages:	
1	Policy for Table A only
2	No. of lives: 500
3	Risk Classification code : 46
4	Policy is issued on unnamed basis.
5	Entry age limit:As per WC Act
6	Risk Location Address:CONSTRUCTION FOR CORE AND SHELL WORK PHASE 1 AND PHASE II,OFPROPOSED RESIDENCIAL DEVLOPMENT AT MAHINDRA CITADEL PROJECTS PIMPRI,,PUNE,411018,MAHARASHTRA,INDIA,411018
7	Medical Extension is covered upto INR. 500000 per person for the policy period.

Exclusions:	
1	Any employment compensation in excess of the actual sum insured for workmen compensation ordinance (not to apply in respect of common law awards)
2	Losses suffered in the course of manufacturing and /or supplying and/or producing storing, filling, breaking down, transporting:-(a)Fireworks, ammunition, fuses, cartridges, powder, nitro-glycerine, or any explosives.(b)Gases and/or air under pressure in containers.(c)Butane, methane, propane, and other liquefied gases.(d)Celluloid and pyroxylin.(e)Petrochemicals and also chemicals of a toxic (as defined under India's Public Liability Act 1991), noxious, explosive and/or highly flammable nature.(f)Asbestos and/or asbestos products.(It is understood and agreed, however, that the storage, transport and/or handling if any of the substances above mentioned other than f) which is merely incidental to the operation and/or trade of the Insured's not otherwise excluded, is covered)
3	Underground and/or underwater mines and/or underground services in connection therewith. However, this exclusion shall only apply where more than 20 people are working at the same location at any one time.
4	Sub aqueous work (underwater work).
5	Quarries, where explosives are used.
6	Contractors engaged exclusively in wrecking or demolition of building and/or scrap metal merchants.
7	Losses suffered on or in connection with offshore rigs.
8	Aircraft crews in respect of flight risk. However, this exclusion shall not apply to aircraft which are set aside for non fare paying executive use and which are crewed by six persons or less.
9	Ship crews other than on inland vessels or on vessels operating within territorial waters. However, this exclusion shall not apply to a vessel crewed by six persons or less.
10	Fire brigades other than those formed privately for loss prevention purposes.
11	Service in any kind of armed forces (including, but not limited to military, police, security services).
12	Operation of railways, other than sidings.
13	Employees employed on a permanent basis in USA and/or Canada.
14	Professional sports team.
15	Any compensation in medical extension expenses if the injured is hospitalized for more than 12 month due to an accident as per the coverage opted in WC policy.
16	Pandemics/epidemics as declared by WHO and /or Government of India

Nature of work/activity	
Policy type:	Unnamed
Entry age limit	As per EC Act
Policy cover	Table A

Subject otherwise to terms and conditions of Employee's Compensation Insurance Policy

Signed for and on behalf of the ICICI Lombard General Insurance Company limited, at Mumbai on this date May 08, 2026. The Policy shall stand cancelled ab initio in the event of nonrealization of premium.

Authorised Signatory

ICICI Lombard General Insurance Company Ltd.

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115
Mailing Address:
 601 & 602, 6th Floor, Interface 16,
 New Linking Road, Malad (West)
 Mumbai - 400 064

CIN: L67200MH2000PLC129408
Registered Office Address:
 ICICI Lombard House, 414, Veer
 Savarkar Marg, Near Siddhi Vinayak
 Temple, Prabhadevi, Mumbai 400 025

UIN : IRDAN115CP0017V02201920
Toll free no : 1800 2666
Alternate no : 86552 22666 (chargeable)
E-mail : customersupport@icicilombard.com
Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE



Click [here](#) or scan the QR code to view the Customer Information Sheet (CIS). It provides an overview of the policy features, service and claim processes, as well as other important terms.

GSTIN Reg. No: 09AAACI7904G1ZL

IL GIC GSTIN Address: Summit Building B-503 To B- 508, Fifth Floor, Plot No Tcg 3/3, Vibhutikhand Gomti Nagar, Lucknow
Uttar Pradesh-226010

HSN/SAC code: 997139 GENERAL INSURANCE SERVICES

The stamp duty of 92 paid in cash or by demand draft or by pay order, vide Reciept/challan no. CSD14220255192 dated Dec 29, 2025.

Scan here for the Policy Terms and Conditions



TAX INVOICE

(ORIGINAL FOR RECIPIENT)

Name of the Customer : KRISHNA BUILESTATES PVT LTD

Address of the Customer : B 28 ,GK 1 NEW DELHI INDIA DELHI NEW DELHI 110048 - 110048

GSTIN/ Unique Id of registered recipient : 27AADCK2409D1ZY

Invoice Number	100526629829	ICICI LOMBARD GENERAL INSURANCE COMPANY LIMITED	
Policy Number	4010/343018118/02/000	Bill from Address (IL GSTIN Address)	Ocean Heights, 2nd Floor,K-4, Sector 18, Uttar Pradesh, 201301
Invoice Date	09/05/2026	GSTIN	09AAACI7904G1ZL

Sr. No	Particulars	PAN	SAC Code of service	Amount (₹)
1	GENERAL INSURANCE SERVICES	AAACI7904G	997139	183171

Total value of services (Premium Value without Tax) (₹)	183171
--	--------

Sr No.	Applicable taxes	Rate of applicable taxes (%)	Tax Amount (₹)
1	CGST	0	0
2	SGST	0	0
3	IGST	18	32970.78
4	UTGST	0	0
Total Tax Amount (₹)			32970.78
Whether tax payable under reverse charge?			No
Tax payable by the receiver (₹)			0
Total Premium inclusive Tax (₹)			216141.78

Place of Supply: MAHARASHTRA

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115

Mailing Address:

601 & 602, 6th Floor, Interface 16,
New Linking Road, Malad (West)
Mumbai - 400 064

CIN: L67200MH2000PLC129408

Registered Office Address:

ICICI Lombard House, 414, Veer
Savarkar Marg, Near Siddhi Vinayak
Temple, Prabhadevi, Mumbai 400 025

UIN

: IRDAN115CP0017V02201920

Toll free no : 1800 2666

Alternate no : 86552 22666 (chargeable)

E-mail : customersupport@icicilombard.com

Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Reference No.: W506399141

Date: Jan 14, 2026

Dispatch Advice Letter

Dear Sir/Madam,

We value your relationship with ICICI Lombard General Insurance Company Limited and thank you for choosing us as your preferred insurance provider.

Please find attached herewith 4010/424933630/00/000 which has been issued based on the details furnished to us on 13-Jan-2026 as per attached format by the following insured:

TRICON INFRA BUILDTECH PRIVATE LIMITED
TRICON INFRA BUILDTECH PVT LTD-2S3, SECOND FLOOR,
INDRAYU MALL,-NEAR KONARK POORAM, KONDHAWA KH,
PUNE

PUNE
MAHARASHTRA - 411048

Please go through the details as furnished in the format and also as provided in the policy document to ensure that they are in order. If you feel that there are any discrepancies/variations, please write to us immediately for the necessary changes/rectification. In the absence of any communication from you in this regard within a period of 15 days of receipt of this letter, we would understand that you have accepted the contents and the coverage to be in accordance with your application.

Your original policy will be handed over to you shortly by your Relationship Manager/ Agent/ Broker. In case you don't receive it within 10 days, please mail us at info@icicilombard.com stating the policy number.

Thank you once again and look forward to a lasting relationship.

Authorised Signatory

ICICI Lombard General Insurance Company Ltd.

Reference No.: W506399141

Date: Jan 14, 2026

TRICON INFRA BUILDTECH PRIVATE LIMITED
TRICON INFRA BUILDTECH PVT LTD-2S3, SECOND FLOOR,
INDRAYU MALL,-NEAR KONARK POORAM, KONDHAWA KH,
PUNE

PUNE
MAHARASHTRA - 411048

Risk Assumption Letter

Dear Sir/Madam,

We value your relationship with ICICI Lombard General Insurance Company Limited and thank you for choosing us as your preferred insurance provider.

Please find attached herewith Policy No. 4010/424933630/00/000 which has been issued based on the details furnished to us on 13-Jan-2026

Please go through the details as furnished in the format and also as provided in the policy document to ensure that they are in order. If you feel that there are any discrepancies/variations, please write to us immediately for the necessary changes / rectification. In the absence of any communication from you in this regard within a period of 15 days of receipt of this letter, we would understand that you have accepted the contents and the coverage to be in accordance with your application.

Thank you once again and look forward to a lasting relationship.

Authorized Signatory

ICICI Lombard General Insurance Company Ltd.

EMPLOYEE'S COMPENSATION INSURANCE

Part 1 of the POLICY SCHEDULE

Policy No.	4010/424933630/00/000
Issued at:	PUNE
Name of the Insured:	TRICON INFRA BUILDTECH PRIVATE LIMITED
Address of the Insured:	TRICON INFRA BUILDTECH PVT LTD-2S3, SECOND FLOOR, INDRAYU MALL,-NEAR KONARK POORAM, KONDHAWA KH, PUNE, .., PUNE, MAHARASHTRA - 411048
Period of Insurance:	From: 13-Jan-2026 00:00 Hours To Midnight of 12-Jan-2027
Total Sum Insured:	5,28,00,000.00
UIN:	IRDAN115CP0017V02201920
Intermediary Details:	Intermediary Code: 201896731244
	Intermediary Name: SARIKA RAVINDRA PAWAR
	Intermediary Contact: 9922900941
	Intermediary E-mail ID: ravindrapawar78@gmail.com
HR Details	HR Contact Number: 9999999999
	HR Email Address: na@gmail.com

1.Premium Calculations:	
Premium	20,045.00
Stamp Duty	10.00
CGST	1,804.05
SGST	1,804.05
IGST	0.00
UGST	0.00
Total GST	3,608.00
Total Premium*	23,663.00

*Premium value mentioned above is inclusive of taxes applicable

2. No. of lives: 200

3.Details of employees to be insured:

Estimated Number of Employees	Occupation of Employees	Estimated Total Salaries Wages and other money earnings	Estimated Total Earnings for the Policy Duration	Place or Places of Employment	Industry Classification	Sub Industry Classification	Risk Classification Code
200	Worker	22000	52800000	1-Mahindra Lifespace Developers Limited Mahindra Citadel CTS-II, 4854 Sub Plot A, Vallabh Nagar, Pimpri, Pune,411018 2-ALL OVER INDIA,411001	Builders - construction incl civil constructions	NA	46
Total: 200			Total : 52800000				

4. Scope of cover

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115

Mailing Address:

601 & 602, 6th Floor, Interface 16, New Linking Road, Malad (West) Mumbai - 400 064

CIN: L67200MH2000PLC129408

Registered Office Address:

ICICI Lombard House, 414, Veer Savarkar Marg, Near Siddhi Vinayak Temple, Prabhadevi, Mumbai 400 025

UIN : IRDAN115CP0017V02201920

Toll free no : 1800 2666

Alternate no : 86552 22666 (chargeable)

E-mail : customersupport@icicilombard.com

Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE

Main Coverage:	EC Liability Cover Table 'A'
Extensions	

Coverages:	
1	Policy for Table A only
2	No. of lives: 200
3	Risk Classification code : 46
4	Policy is issued on unnamed basis.
5	Entry age limit:As per WC Act
6	Nil Claims in Expiring policy
7	Risk Location Address:1-Mahindra Lifespace Developers Limited Mahindra Citadel CTS-II, 4854 Sub Plot A, Vallabh Nagar, Pimpri, Pune,411018 2-ALL OVER INDIA,411001
8	Sub Contractor Coverage is provided.

Exclusions:	
1	Any employment compensation in excess of the actual sum insured for workmen compensation ordinance (not to apply in respect of common law awards)
2	Underground and/or underwater mines and/or underground services in connection therewith. However, this exclusion shall only apply where more than 20 people are working at the same location at any one time.
3	Sub aqueous work (underwater work).
4	Quarries, where explosives are used.
5	Contractors engaged exclusively in wrecking or demolition of building and/or scrap metal merchants.
6	Losses suffered on or in connection with offshore rigs.
7	Aircraft crews in respect of flight risk. However, this exclusion shall not apply to aircraft which are set aside for non fare paying executive use and which are crewed by six persons or less.
8	Ship crews other than on inland vessels or on vessels operating within territorial waters. However, this exclusion shall not apply to a vessel crewed by six persons or less.
9	Fire brigades other than those formed privately for loss prevention purposes.
10	Service in any kind of armed forces (including, but not limited to military, police, security services).
11	Operation of railways, other than sidings.
12	Employees employed on a permanent basis in USA and/or Canada.
13	Professional sports team.
14	Any compensation in medical extension expenses if the injured is hospitalized for more than 12 month due to an accident as per the coverage opted in WC policy.
15	Pandemics/epidemics as declared by WHO and /or Government of India
16	Losses suffered in the course of manufacturing and /or supplying and/or producing storing, filling, breaking down, transporting:-(a)Fireworks, ammunition, fuses, cartridges, powder, nitro-glycerine, or any explosives.(b)Gases and/or air under pressure in containers.(c)Butane, methane, propane, and other liquefied gases.(d)Celluloid and pyroxylin.(e)Petrochemicals and also chemicals of a toxic (as defined under India's Public Liability Act 1991), noxious, explosive and/or highly flammable nature.(f)Asbestos and/or asbestos products.(It is understood and agreed, however, that the storage, transport and/or handling if any of the substances above mentioned other than f) which is merely incidental to the operation and/or trade of the Insured's not otherwise excluded, is covered)

Nature of work/activity	
Policy type:	Unnamed
Entry age limit	As per EC Act
Policy cover	Table A

Subject otherwise to terms and conditions of Employee's Compensation Insurance Policy

Signed for and on behalf of the ICICI Lombard General Insurance Company limited, at Mumbai on this date Jan 14, 2026. The Policy shall stand cancelled ab initio in the event of nonrealization of premium.

Authorised Signatory

ICICI Lombard General Insurance Company Ltd.

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115
Mailing Address:
 601 & 602, 6th Floor, Interface 16,
 New Linking Road, Malad (West)
 Mumbai - 400 064
CIN: L67200MH2000PLC129408
Registered Office Address:
 ICICI Lombard House, 414, Veer
 Savarkar Marg, Near Siddhi Vinayak
 Temple, Prabhadevi, Mumbai 400 025

UIN : IRDAN115CP0017V02201920
Toll free no : 1800 2666
Alternate no : 86552 22666 (chargeable)
E-mail : customersupport@icicilombard.com
Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE



Click [here](#) or scan the QR code to view the Customer Information Sheet (CIS). It provides an overview of the policy features, service and claim processes, as well as other important terms.

GSTIN Reg. No: 27AAACI7904G1ZN

IL GIC GSTIN Address: 414, ICICI LOMBARD HOUSE, VEER SAVARKAR MARG, NEAR SIDDHI VINAYAK TEMPLE MAIN GATE, PRABHADEVI, MUMBAI, 400025, MAHARASHTRA

HSN/SAC code: 997139 GENERAL INSURANCE SERVICES

The stamp duty of 10 paid in cash or by demand draft or by pay order, vide Receipt/challan no. CSD11220254045 dated Oct 08, 2025.

Scan here for the Policy Terms and Conditions



TAX INVOICE

(ORIGINAL FOR RECIPIENT)

Name of the Customer : TRICON INFRA BUILDTECH PRIVATE LIMITED

Address of the Customer : TRICON INFRA BUILDTECH PVT LTD-2S3, SECOND FLOOR, INDRAYU MALL,-NEAR KONARK POORAM, KONDHAWA KH, PUNE . INDIA MAHARASHTRA PUNE PIN - 411048 - 411048

GSTIN/ Unique Id of registered recipient : 27AADCT7962Q1ZE

Invoice Number	1001261407274	ICICI LOMBARD GENERAL INSURANCE COMPANY LIMITED	
Policy Number	4010/424933630/00/000	Bill from Address (IL GSTIN Address)	Flat No. 501, 5th Floor, Metro House, 7B Mangaldas Road, Pune-411 001 Maharashtra, Maharashtra, 411001
Invoice Date	13/01/2026	GSTIN	27AAACI7904G1ZN

Sr. No	Particulars	PAN	SAC Code of service	Amount (₹)
1	GENERAL INSURANCE SERVICES	AAACI7904G	997139	20045

Total value of services (Premium Value without Tax) (₹)	20045
--	-------

Sr No.	Applicable taxes	Rate of applicable taxes (%)	Tax Amount (₹)
1	CGST	9	1804.05
2	SGST	9	1804.05
3	IGST	0	0
4	UTGST	0	0
Total Tax Amount (₹)			3608.1
Whether tax payable under reverse charge?			No
Tax payable by the receiver (₹)			0
Total Premium inclusive Tax (₹)			23653.1

Place of Supply: MAHARASHTRA

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

ICICI Lombard General Insurance Company Limited

IRDA Reg. No. 115
Mailing Address:
 601 & 602, 6th Floor, Interface 16,
 New Linking Road, Malad (West)
 Mumbai - 400 064

CIN: L67200MH2000PLC129408
Registered Office Address:
 ICICI Lombard House, 414, Veer
 Savarkar Marg, Near Siddhi Vinayak
 Temple, Prabhadevi, Mumbai 400 025

UIN : IRDAN115CP0017V02201920
Toll free no : 1800 2666
Alternate no : 86552 22666 (chargeable)
E-mail : customersupport@icicilombard.com
Website : www.icicilombard.com

EMPLOYEE'S COMPENSATION INSURANCE



GREENING YOUR BUSINESS

GREEN ENVIRO

Environmental Consultancy & Laboratory
Recognition by EPA- MoEF & CC (Govt. of India)
NABL Certified as per ISO/IEC 17025 : 2017



ISO 9001:2015 Certified
ISO 14001:2015 Certified
ISO 45001:2018 Certified

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 11/10/2025

Sample/Report No.	GE/LAB/AAQ/MLDL1		
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"		
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018		
Sample Drawn By	Vendor on 04/10/2025	Sample Received On	05/10/2025
Start of Analysis	06/10/2025	End Of Analysis	08/10/2025
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.
Ambient Temperature	Max- 32.7 °C, Min-21.9°C	Relative Humidity	Max- 83.4%, Min- 76.1%
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009		

Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m ³	69.12	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than 2.5 micron	µg/m ³	35.51	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m ³	23.03	80	IS 5182 (part II) 2001, Reaff: 2017
Oxides of Nitrogen	µg/m ³	28.42	80	IS 5182 (part VI) 2006, Reaff: 2017
Carbon Monoxide	mg/m ³	0.59	2.0	IS 5182 (part X) 1999, Reaff: 2014
Lead	µg/m ³	BDL	1	IS 5182 (part XXII) 2004, Reaff: 2014
Ozone	µg/m ³	21.47	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m ³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m ³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m ³	BDL	1	IS 5182 (Part 12):2004, Reaff: 2014
Arsenic	ng/m ³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m ³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO

Authorized Signatory



For GREEN ENVIRO

Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	11/10/2025
Date Of Sampling	Vendor on 04/10/2025
Date Of Analysis	06/10/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M.

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	58.3	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	46.5	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---



GREENING YOUR BUSINESS

GREEN ENVIRO

Environmental Consultancy & Laboratory
Recognition by EPA- MoEF & CC (Govt. of India)
NABL Certified as per ISO/IEC 17025 : 2017



ISO 9001:2015 Certified
ISO 14001:2015 Certified
ISO 45001:2018 Certified

SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 11/10/2025
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 04/10/2025
Date Of Analysis: - 06/10/2025	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Blackish	-
Texture			
Clay	%	71.4	Method manual soil testing
Silt	%	15.8	Method manual soil testing
Sand	%	10.24	Method manual soil testing
Gravel	%	2.56	Method manual soil testing
pH	Value	7.13	IS 2720 Part -26 1987 RA2002
Moisture Content	%	34.75	IS 15106 2002
Conductivity	Mmhos	8.62	IS 14767 : 2000
Water Holding Capacity	%	36.97	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



Page No – 1

SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	2.30	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	3.46	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	6301	Method manual soil testing
Potassium as k	mg/kg	924.7	IS 2799 -1980
Sodium as Na	mg/kg	4.57	IS 2799 -1980
Organic Carbon	%	6.92	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	5.18	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 11/10/2025
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 04/10/2025
Date Of Analysis – 06/10/2025	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.45	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	68.24	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	1.79	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.56	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	32.89	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	18.64	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	14.25	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	06.92	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	03.87	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	72.46	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.8	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---



GREENING YOUR BUSINESS

GREEN ENVIRO

Environmental Consultancy & Laboratory
Recognition by EPA- MoEF & CC (Govt. of India)
NABL Certified as per ISO/IEC 17025 : 2017



ISO 9001:2015 Certified
ISO 14001:2015 Certified
ISO 45001:2018 Certified

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 17/11/2025

Sample/Report No.	GE/LAB/AAQ/MLDL1		
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"		
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018		
Sample Drawn By	Vendor on 10/11/2025	Sample Received On	11/11/2025
Start of Analysis	12/11/2025	End Of Analysis	14/11/2025
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.
Ambient Temperature	Max- 30.8 °C, Min-19.5°C	Relative Humidity	Max- 73.2%, Min- 65.4%
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009		

Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m ³	74.09	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than 2.5 micron	µg/m ³	41.67	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m ³	29.51	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m ³	34.19	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m ³	0.72	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m ³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m ³	26.36	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m ³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m ³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m ³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m ³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m ³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO

Authorized Signatory



For GREEN ENVIRO

Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	17/11/2025
Date Of Sampling	Vendor on 10/11/2025
Date Of Analysis	11/11/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M.

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	62.3	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	53.1	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---



SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 17/11/2025
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 10/11/2025
Date Of Analysis: - 11/11/2025	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Dark Black	-
Texture			
Clay	%	74.2	Method manual soil testing
Silt	%	11.9	Method manual soil testing
Sand	%	8.72	Method manual soil testing
Gravel	%	5.18	Method manual soil testing
pH	Value	7.24	IS 2720 Part -26 1987 RA2002
Moisture Content	%	37.46	IS 15106 2002
Conductivity	Mmhos	9.39	IS 14767 : 2000
Water Holding Capacity	%	39.85	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	2.76	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	4.57	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	6623	Method manual soil testing
Potassium as k	mg/kg	983.4	IS 2799 -1980
Sodium as Na	mg/kg	5.86	IS 2799 -1980
Organic Carbon	%	8.01	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	6.40	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 17/11/2025
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 10/11/2025
Date Of Analysis – 11/11/2025	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	6.98	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	72.86	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	1.94	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.64	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	36.97	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	20.46	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	16.51	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	07.39	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	04.18	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	76.45	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.9	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 20/12/2025

Sample/Report No.	GE/LAB/AAQ/MLDL1		
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"		
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018		
Sample Drawn By	Vendor on 13/12/2025	Sample Received On	14/12/2025
Start of Analysis	15/12/2025	End Of Analysis	17/12/2025
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.
Ambient Temperature	Max- 29.7 °C, Min-9.6°C	Relative Humidity	Max- 65.4%, Min- 56.2%
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009		

Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m ³	78.93	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than 2.5 micron	µg/m ³	45.97	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m ³	33.81	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m ³	38.20	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m ³	0.79	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m ³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m ³	30.16	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m ³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m ³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m ³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m ³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m ³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	20/12/2025
Date Of Sampling	Vendor on 13/12/2025
Date Of Analysis	15/12/2025
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	63.1	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	50.7	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 20/12/2025
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 13/12/2025
Date Of Analysis: - 15/12/2025	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Black	-
Texture			
Clay	%	76.8	Method manual soil testing
Silt	%	14.2	Method manual soil testing
Sand	%	5.13	Method manual soil testing
Gravel	%	3.87	Method manual soil testing
pH	Value	7.44	IS 2720 Part -26 1987 RA2002
Moisture Content	%	39.91	IS 15106 2002
Conductivity	Mmhos	9.83	IS 14767 : 2000
Water Holding Capacity	%	42.18	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	3.65	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	5.73	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	6928	Method manual soil testing
Potassium as k	mg/kg	1047.2	IS 2799 -1980
Sodium as Na	mg/kg	6.97	IS 2799 -1980
Organic Carbon	%	9.15	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	8.03	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 20/12/2025
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 13/12/2025
Date Of Analysis – 15/12/2025	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.19	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	76.38	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	2.50	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.70	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	40.89	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	22.73	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	18.16	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	08.40	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	04.62	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	81.30	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.11	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 12/01/2026

Sample/Report No.	GE/LAB/AAQ/MLDL1		
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"		
Address Of Customer	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018		
Sample Drawn By	Vendor on 05/01/2026	Sample Received On	06/01/2026
Start of Analysis	07/01/2026	End Of Analysis	09/01/2026
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.
Ambient Temperature	Max- 29.9 °C, Min-12.6°C	Relative Humidity	Max- 61.4%, Min- 53.5%
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009		

Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m ³	83.96	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than 2.5 micron	µg/m ³	49.01	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m ³	37.63	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m ³	41.13	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m ³	0.89	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m ³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m ³	35.74	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m ³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m ³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m ³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m ³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m ³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

- Note –**
- Results relate only to the sample tested.
 - Test report shall not be reproduced except in full, without written approval of the laboratory
 - This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	12/01/2026
Date Of Sampling	Vendor on 05/01/2026
Date Of Analysis	06/01/2026
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	64.3	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	52.7	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 12/01/2026
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 05/01/2026
Date Of Analysis: - 06/01/2026	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Brown	-
Texture			
Clay	%	72.6	Method manual soil testing
Silt	%	8.10	Method manual soil testing
Sand	%	18.4	Method manual soil testing
Gravel	%	1.80	Method manual soil testing
pH	Value	7.02	IS 2720 Part -26 1987 RA2002
Moisture Content	%	35.11	IS 15106 2002
Conductivity	Mmhos	8.97	IS 14767 : 2000
Water Holding Capacity	%	38.05	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	2.48	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	3.83	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	6484	Method manual soil testing
Potassium as k	mg/kg	967.9	IS 2799 -1980
Sodium as Na	mg/kg	4.91	IS 2799 -1980
Organic Carbon	%	5.42	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	4.26	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 12/01/2026
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 05/01/2026
Date Of Analysis – 06/01/2026	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.32	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	70.15	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	1.86	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.60	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	34.76	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	19.24	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	15.52	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	06.31	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	03.45	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	74.32	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.7	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 24/02/2026

Sample/Report No.	GE/LAB/AAQ/MLDL1			
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"			
Address Of Customer	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018			
Sample Drawn By	Vendor on 18/02/2026	Sample Received On	19/02/2026	
Start of Analysis	20/02/2026	End Of Analysis	22/02/2026	
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate	
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.	
Ambient Temperature	Max- 32.6 °C, Min-15.8°C	Relative Humidity	Max- 54.3%, Min- 45.2%	
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009			
Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m³	88.31	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than2.5 micron	µg/m³	53.15	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m³	42.09	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m³	46.28	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m³	1.06	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m³	41.74	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

—End of the Report—

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	24/02/2026
Date Of Sampling	Vendor on 18/02/2026
Date Of Analysis	19/02/2026
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	63.8	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	54.2	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

—End of the Report—

SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 24/02/2026
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 18/02/2026
Date Of Analysis: - 19/02/2026	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Black Cotton	-
Texture			
Clay	%	68.4	Method manual soil testing
Silt	%	22.9	Method manual soil testing
Sand	%	7.46	Method manual soil testing
Gravel	%	1.24	Method manual soil testing
pH	Value	6.92	IS 2720 Part -26 1987 RA2002
Moisture Content	%	31.64	IS 15106 2002
Conductivity	Mmhos	7.20	IS 14767 : 2000
Water Holding Capacity	%	33.53	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	1.80	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	2.56	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	5849	Method manual soil testing
Potassium as k	mg/kg	810.4	IS 2799 -1980
Sodium as Na	mg/kg	3.02	IS 2799 -1980
Organic Carbon	%	5.08	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	4.01	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

—End of the Report—

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 24/02/2026
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 18/02/2026
Date Of Analysis – 19/02/2026	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.40	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	65.31	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	1.62	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.52	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	30.89	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	17.64	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	13.25	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	05.21	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	02.98	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	70.35	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.6	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

Note – 1. Results relate only to the sample tested.

2. Test report shall not be reproduced except in full, without written approval of the laboratory

3. This report, in full or in part, shall not be used for advertising or legal action.

—End of the Report—

AMBIENT AIR QUALITY MONITORING ANALYSIS REPORT

TEST REPORT

Date – 11/03/2026

Sample/Report No.	GE/LAB/AAQ/MLDL1		
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"		
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018		
Sample Drawn By	Vendor on 04/03/2026	Sample Received On	05/03/2026
Start of Analysis	06/03/2026	End Of Analysis	08/03/2026
Monitoring For	Ambient Air Monitoring	Sampling Location	Near Security Gate
Sampling Duration	24 Hrly	Receptor Height	2.00 meter from G.L.
Ambient Temperature	Max- 33.4 °C, Min-19.3°C	Relative Humidity	Max- 52.1%, Min- 43.7%
Limits	National Ambient Air Quality Standards Vide GSR 826(E)16.11.2009		

Parameters	Unit	Result	Limits	Method of Analysis
General Parameters				
Particulate matter less than 10 micron	µg/m ³	81.93	100	EPA/625/R-96/010a(Compendium Method IO-2.1): 2017
Particulate matter less than 2.5 micron	µg/m ³	48.03	60	USEPA Method Aerosol Science Tech FRM 35(4)339-342: 2017
Sulphur Dioxide	µg/m ³	36.52	80	IS 5182 (part II) 2001,Reaff: 2017
Oxides of Nitrogen	µg/m ³	40.11	80	IS 5182 (part VI) 2006,Reaff:2017
Carbon Monoxide	mg/m ³	0.82	2.0	IS 5182 (part X) 1999,Reaff: 2014
Lead	µg/m ³	BDL	1	IS 5182 (part XXII) 2004,Reaff:2014
Ozone	µg/m ³	31.76	100	IS 5182 (part IX) 1974, Reaff: 2014
Ammonia	µg/m ³	BDL	400	APHA 2nd Edition Method No. 401
Benzene	µg/m ³	BDL	5	IS 5182 (part XI) 2006, Reaff- 2017
Benzo (a) Pyrene - Particulate Phase only	ng/m ³	BDL	1	IS 5182 (Part 12):2004,Reaff: 2014
Arsenic	ng/m ³	BDL	6	APHA 2nd Edition Method No. 822
Nickel	ng/m ³	BDL	20	APHA 2nd Edition Method No. 822

• BDL: - Below Detection Limits

• Remarks: - Monitoring Results are well within the limits prescribed by NAAQS.

For GREEN ENVIRO



Authorized Signatory



For GREEN ENVIRO



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

AMBIENT NOISE MONITORING ANALYSIS REPORT

TEST REPORT

Sample/Report No.	GE/LAB/ANM/MLDL1
Name Of Customer	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
Address Of Customer	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report Dated	11/03/2026
Date Of Sampling	Vendor on 04/03/2026
Date Of Analysis	05/03/2026
Monitoring For	Ambient Noise Monitoring
Sampling Location	Near Security Gate
Limits*	Maharashtra Pollution Control Board has prescribed 65 dB(A) as an upper limit of Noise Level during day time & 55 dB(A) during Night time
Time Of Sampling	1) Day time shall mean from 06:00 A.M. to 10:00 P.M. 2) Night time shall mean from 10:00 P.M. to 06:00 A.M

RESULTS OF ANALYSIS (DAY TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	62.9	65

RESULTS OF ANALYSIS (NIGHT TIME)

UNIT	READINGS	MPCB LIMITS
dB(A)	51.7	55

REMARK/OBSERVATIONS: Monitoring results are well within the limits prescribed by MPCB.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Note – 1. Results relate only to the sample tested.
2. Test report shall not be reproduced except in full, without written approval of the laboratory
3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

SOIL ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabh Nagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/S/MLDL1	Dated:- 11/03/2026
Lab Reference No: GE/LAB/S/MLDL01	Date Of Sampling: - 04/03/2026
Date Of Analysis: - 05/03/2026	Details Of Sample- Soil Sample
Sample Collected By – Vendor	Sample Container – Zip Lock Plastic Bag
Location- Near Tower D	Quantity of Sample Received - 2 kg

RESULTS OF ANALYSIS

Parameter	Unit	Result	Methods Of Analysis
Appearance	----	Blackish	-
Texture			
Clay	%	64.1	Method manual soil testing
Silt	%	25.9	Method manual soil testing
Sand	%	4.38	Method manual soil testing
Gravel	%	5.62	Method manual soil testing
pH	Value	6.94	IS 2720 Part -26 1987 RA2002
Moisture Content	%	24.11	IS 15106 2002
Conductivity	Mmhos	7.35	IS 14767 : 2000
Water Holding Capacity	%	28.02	IS 14765 2000
Copper as Cu	mg/kg	BDL	IS 6092 Part- 5 1985
Zinc as Zn	mg/kg	BDL	IS 6092 Part- 5 1985
Lead as Pb	mg/kg	BDL	IS 6092 Part- 5 1985



SOIL ANALYSIS REPORT

Parameter	Unit	Result	Methods Of Analysis
Cadmium as Cd	mg/kg	BDL	IS 6092 Part- 5 1985
Iron as Fe	mg/kg	1.30	IS 6092 Part- 5 1985
Manganese as Mn	mg/kg	BDL	IS 6092 Part- 5 1985
Phosphorous as P	Kg/ha	2.03	IS 6092 (Part 3) 2004
Total Nitrogen as N	mg/kg	5416	Method manual soil testing
Potassium as k	mg/kg	762.4	IS 2799 -1980
Sodium as Na	mg/kg	1.45	IS 2799 -1980
Organic Carbon	%	4.76	IS 2720 Part -22 1972 RA 2010
Calcium as Ca	%	3.20	IS 2409:1985
Magnesium as Mg	%	BDL	IS 2409:1985

• BDL - Below Detection Limits

Remark – In view no deviation found in Major Nutrient & Micro Nutrient, Soil consider as fertile.

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No - 2

- Note** –
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---

DRINKING WATER MONITORING ANALYSIS REPORT

CLIENT'S NAME	M/s. Mahindra Lifespace Developers Limited. "Mahindra Citadel"
CLIENT'S ADDRESS	Vallabhnagar, Horizon, CTS 4854, Next to ICC Tech Park, Pimpri, Pune – 411018
Report No: - GE/LAB/W/MLDL1	Dated:- 11/03/2026
Lab Reference No: GE/LAB/WMLDL01	Date Of Sampling: - 04/03/2026
Date Of Analysis – 05/03/2026	Details Of Sample- Drinking Water
Sample Collected By – Vendor	Sample Container – Sterilized Bottle
Location- Labour Colony	Quantity of Sample Received - 2 Lit.

RESULTS OF ANALYSIS

Parameter	Unit	Result	Standard : (IS 10500:2012)	Methods of Analysis
pH	Value	7.22	6.5 - 8.5	IS 3025 (Part II) 1983, Reaff: 2017
Total Dissolved Solids	mg/lit	56.08	500	IS 3025 (Part XVI) 1984, Reaff: 2017
Total Suspended Solids	mg/lit	1.20	Not Specified	IS 3025 (Part XVII) 1984, Reaff- 2017
Colour	----	Colorless	Colorless	IS 3025 (Part IV) 1983
Odour	----	Odorless	Odorless	APHA 23 rd Edition(Part 2150B)
Turbidity	NTU	< 0.36	< 5	IS 3025 (Part X) 1984, Reaff: 2017
Total Hardness	mg/lit	25.98	200	IS 3025 (Part XXI) 2009, Reaff: 2019
Calcium Hardness	mg/lit	13.03	Not Specified	IS 3025 (Part 40) 1991, Reaff: 2019
Magnesium Hardness	mg/lit	12.95	Not Specified	IS 3025 (Part 46) 1994, Reaff: 2019



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Chloride	mg/lit	04.71	250	IS 3025 (Part 32) 1998, Reaff: 2019
Sulphate	mg/lit	02.19	200	IS 3025 (Part 24) 1986, Reaff: 2019
Total alkalinity	mg/lit	59.07	200	IS 3025 (Part 23) 1986, Reaff: 2019
Fluoride	mg/lit	BDL	1.0	IS 3025 (Part 60) 2008
Nitrates	mg/lit	BDL	45	APHA 23 rd Edition, (Part 4500-NO ₃ ⁻ B)
Cyanide	mg/lit	Absent	0.05	APHA 23 rd Edition, (Part 4500-CN ⁻ C)
Residual free chlorine	mg/lit	0.3	0.2	APHA 23 rd Edition, (Part 4500-Cl B)
Copper	mg/lit	BDL	Max 0.05	IS:3025 (Part 42) 1992, Reaff: 2019
Mercury	mg/lit	Absent	Max 0.001	APHA 23 rd Edition, (Part 3500Hg)
Cadmium	mg/lit	BDL	Max 0.003	APHA 23 rd Edition, (Part 3500-Cd)
Lead	mg/lit	BDL	Max 0.01	IS 3025 (Part 47) 1994, Reaff: 2019
Zinc	mg/lit	BDL	5.0	IS 3025 (Part 49) 1994, Reaff: 2019
Nickel	mg/lit	BDL	Max 0.02	IS 3025 (Part 54) 2003, Reaff: 2019,
Total chromium	mg/lit	BDL	Max 0.05	APHA 23 rd Edition, (Part 3111B)
Total arsenic	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-As B)
Aluminium	mg/lit	BDL	Max 0.03	APHA 23 rd Edition, (Part 3111 D)
Boron	mg/lit	BDL	Max 0.5	APHA 23 rd Edition, (Part 4500-B C)
Sulphide	mg/lit	BDL	0.05	APHA 23 rd Edition, (part 4500-D)
Mineral oil	mg/lit	BDL	0.05	IS 3025 (Part 39)
Anionic detergents	mg/lit	BDL	Max 0.2	APHA 23 rd Edition, (Part 5540 C)
Chloramines	mg/lit	BDL	Max 4.0	APHA 23 rd Edition, (Part 4500-Cl G)
Selenium	mg/lit	BDL	Max 0.01	APHA 23 rd Edition, (Part 3500-Se C)



DRINKING WATER MONITORING ANALYSIS REPORT

Parameter	Unit	Result	Standard: (IS10500:2012)	Methods of Analysis
Iron	mg/lit	BDL	0.3	IS 3025 (Part 53) 2003, Reaff – 2019
Most Probable Number	/100ml	Absent	0/100ml	IS: 1622 – 1981, Multiple tube technique
E. coli	/100ml	Absent	0-1/100ml	IS: 5887 -1 & IS15186:2002 Multiple tube technique
Total Coliform	/100ml	Absent	0-1/100ml	IS:1622-1981, Multiple tube technique
Total Viable Count	/100ml	Absent	0-1/100ml	IS: 5402 : 2012
Fecal	/100ml	Absent	0-1/100ml	APHA 23 rd Edition Part 9230- B
Taste	-	Agreeable	Agreeable	IS 3025 (Part 7 & 8)
Phenolic compounds	mg/lit	BDL	0.001	IS 3025 (Part 43)
Manganese	mg/lit	BDL	0.1	APHA 23 rd Edition –(Part 3111-B)

• BDL: - Below Detection Limits

For **GREEN ENVIRO**



Authorized Signatory



For **GREEN ENVIRO**



Quality Manager

Page No.3

- Note –**
1. Results relate only to the sample tested.
 2. Test report shall not be reproduced except in full, without written approval of the laboratory
 3. This report, in full or in part, shall not be used for advertising or legal action.

---End of the Report---